

NASA/SP—1998-7011/SUPPL480
December 14, 1998

AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES



National Aeronautics and
Space Administration
Langley Research Center
**Scientific and Technical
Information Program Office**

The NASA STI Program Office . . . in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.

- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov>
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA STI Help Desk at (301) 621-0134
- Telephone the NASA STI Help Desk at (301) 621-0390
- Write to:
NASA STI Help Desk
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

Introduction

This supplemental issue of *Aerospace Medicine and Biology, A Continuing Bibliography with Indexes* (NASA/SP—1998-7011) lists reports, articles, and other documents recently announced in the NASA STI Database.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract.

The NASA CASI price code table, addresses of organizations, and document availability information are included before the abstract section.

Two indexes—subject and author are included after the abstract section.

SCAN Goes Electronic!

If you have electronic mail or if you can access the Internet, you can view biweekly issues of *SCAN* from your desktop absolutely free!

Electronic SCAN takes advantage of computer technology to inform you of the latest worldwide, aerospace-related, scientific and technical information that has been published.

No more waiting while the paper copy is printed and mailed to you. You can view *Electronic SCAN* the same day it is released—up to 191 topics to browse at your leisure. When you locate a publication of interest, you can print the announcement. You can also go back to the *Electronic SCAN* home page and follow the ordering instructions to quickly receive the full document.

Start your access to *Electronic SCAN* today. Over 1,000 announcements of new reports, books, conference proceedings, journal articles...and more—available to your computer every two weeks.

**Timely
Flexible
Complete
FREE!**

For Internet access to *E-SCAN*, use any of the following addresses:

<http://www.sti.nasa.gov>

[ftp.sti.nasa.gov](ftp://sti.nasa.gov)

[gopher.sti.nasa.gov](gopher://sti.nasa.gov)

To receive a free subscription, send e-mail for complete information about the service first. Enter **scan@sti.nasa.gov** on the address line. Leave the subject and message areas blank and send. You will receive a reply in minutes.

Then simply determine the *SCAN* topics you wish to receive and send a second e-mail to **listserve@sti.nasa.gov**. Leave the subject line blank and enter a subscribe command in the message area formatted as follows:

Subscribe <desired list> <Your name>

For additional information, e-mail a message to **help@sti.nasa.gov**.

Phone: (301) 621-0390

Fax: (301) 621-0134

Write: NASA STI Help Desk
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

Looking just for *Aerospace Medicine and Biology* reports?

Although hard copy distribution has been discontinued, you can still receive these vital announcements through your *E-SCAN* subscription. Just **subscribe SCAN-AEROMED** in the message area of your e-mail to **listserve@sti.nasa.gov**.



Table of Contents

Records are arranged in categories 51 through 55, the Life Sciences division of *STAR*. Selecting a category will link you to the collection of records cited in this issue pertaining to that category.

51	Life Sciences (General)	1
52	Aerospace Medicine Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.	2
53	Behavioral Sciences Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.	16
54	Man/System Technology and Life Support Includes human engineering; biotechnology; and space suits and protective clothing.	16
55	Space Biology Includes exobiology; planetary biology; and extraterrestrial life.	21

Indexes

Two indexes are available. You may use the find command under the tools menu while viewing the PDF file for direct match searching on any text string. You may also view the indexes provided, for searching on *NASA Thesaurus* subject terms and author names.

Subject Term Index	ST-1
Author Index	PA-1

Selecting an index above will link you to that comprehensive listing.

Document Availability

Select **Availability Info** for important information about NASA Scientific and Technical Information (STI) Program Office products and services, including registration with the NASA Center for Aerospace Information (CASI) for access to the NASA CASI TRS (Technical Report Server), and availability and pricing information for cited documents.

The New NASA Video Catalog is Here

To order your **Free!** copy,
call the NASA STI Help Desk at
(301) 621-0390,
fax to
(301) 621-0134,
e-mail to
help@sti.nasa.gov,
or visit the NASA STI Program
homepage at
<http://www.sti.nasa.gov>

(Select STI Program Bibliographic Announcements)

Explore the Universe!

Document Availability Information

The mission of the NASA Scientific and Technical (STI) Program Office is to quickly, efficiently, and cost-effectively provide the NASA community with desktop access to STI produced by NASA and the world's aerospace industry and academia. In addition, we will provide the aerospace industry, academia, and the taxpayer access to the intellectual scientific and technical output and achievements of NASA.

Eligibility and Registration for NASA STI Products and Services

The NASA STI Program offers a wide variety of products and services to achieve its mission. Your affiliation with NASA determines the level and type of services provided by the NASA STI Program. To assure that appropriate level of services are provided, NASA STI users are requested to register at the NASA Center for AeroSpace Information (CASI). Please contact NASA CASI in one of the following ways:

E-mail: help@sti.nasa.gov
Fax: 301-621-0134
Phone: 301-621-0390
Mail: ATTN: Registration Services
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

Limited Reproducibility

In the database citations, a note of limited reproducibility appears if there are factors affecting the reproducibility of more than 20 percent of the document. These factors include faint or broken type, color photographs, black and white photographs, foldouts, dot matrix print, or some other factor that limits the reproducibility of the document. This notation also appears on the microfiche header.

NASA Patents and Patent Applications

Patents and patent applications owned by NASA are announced in the STI Database. Printed copies of patents (which are not microfiche) are available for purchase from the U.S. Patent and Trademark Office.

When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the U.S. Patent and Trademark Office.

NASA patent application specifications are sold in both paper copy and microfiche by the NASA Center for AeroSpace Information (CASI). The document ID number should be used in ordering either paper copy or microfiche from CASI.

The patents and patent applications announced in the STI Database are owned by NASA and are available for royalty-free licensing. Requests for licensing terms and further information should be addressed to:

National Aeronautics and Space Administration
Associate General Counsel for Intellectual Property
Code GP
Washington, DC 20546-0001

Sources for Documents

One or more sources from which a document announced in the STI Database is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, with an Addresses of Organizations list near the back of this section. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source.

Avail: NASA CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the citation. Current values are given in the NASA CASI Price Code Table near the end of this section.

Note on Ordering Documents: When ordering publications from NASA CASI, use the document ID number or other report number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.

Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)

Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in Energy Research Abstracts. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center—Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.

Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU International topic categories can be obtained from ESDU International.

Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.

- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from Dissertation Abstracts and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on the Addresses of Organizations page. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

Addresses of Organizations

British Library Lending Division
Boston Spa, Wetherby, Yorkshire
England

Commissioner of Patents and Trademarks
U.S. Patent and Trademark Office
Washington, DC 20231

Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, TN 37830

European Space Agency–
Information Retrieval Service ESRIN
Via Galileo Galilei
00044 Frascati (Rome) Italy

ESDU International
27 Corsham Street
London
N1 6UA
England

Fachinformationszentrum Karlsruhe
Gesellschaft für wissenschaftlich–technische
Information mbH
76344 Eggenstein–Leopoldshafen, Germany

Her Majesty's Stationery Office
P.O. Box 569, S.E. 1
London, England

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

(NASA STI Lead Center)
National Aeronautics and Space Administration
Scientific and Technical Information Program Office
Langley Research Center – MS157
Hampton, VA 23681

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

Pendragon House, Inc.
899 Broadway Avenue
Redwood City, CA 94063

Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, MI 48106

University Microfilms, Ltd.
Tylers Green
London, England

U.S. Geological Survey Library National Center
MS 950
12201 Sunrise Valley Drive
Reston, VA 22092

U.S. Geological Survey Library
2255 North Gemini Drive
Flagstaff, AZ 86001

U.S. Geological Survey
345 Middlefield Road
Menlo Park, CA 94025

U.S. Geological Survey Library
Box 25046
Denver Federal Center, MS914
Denver, CO 80225

NASA CASI Price Code Table

(Effective July 1, 1998)

U.S., Canada, Code & Mexico Foreign			U.S., Canada, Code & Mexico Foreign		
A01	\$ 8.00	\$ 16.00	E01	\$101.00	\$202.00
A02	12.00	24.00	E02	109.50	219.00
A03	23.00	46.00	E03	119.50	238.00
A04	25.50	51.00	E04	128.50	257.00
A05	27.00	54.00	E05	138.00	276.00
A06	29.50	59.00	E06	146.50	293.00
A07	33.00	66.00	E07	156.00	312.00
A08	36.00	72.00	E08	165.50	331.00
A09	41.00	82.00	E09	174.00	348.00
A10	44.00	88.00	E10	183.50	367.00
A11	47.00	94.00	E11	193.00	386.00
A12	51.00	102.00	E12	201.00	402.00
A13	54.00	108.00	E13	210.50	421.00
A14	56.00	112.00	E14	220.00	440.00
A15	58.00	116.00	E15	229.50	459.00
A16	60.00	120.00	E16	238.00	476.00
A17	62.00	124.00	E17	247.50	495.00
A18	65.50	131.00	E18	257.00	514.00
A19	67.50	135.00	E19	265.50	531.00
A20	69.50	139.00	E20	275.00	550.00
A21	71.50	143.00	E21	284.50	569.00
A22	77.00	154.00	E22	293.00	586.00
A23	79.00	158.00	E23	302.50	605.00
A24	81.00	162.00	E24	312.00	624.00
A25	83.00	166.00	E99	Contact NASA CASI	
A99	Contact NASA CASI				

Payment Options

All orders must be prepaid unless you are registered for invoicing or have a deposit account with the NASA CASI. Payment can be made by VISA, MasterCard, American Express, or Diner's Club credit card. Checks or money orders must be in U.S. currency and made payable to "NASA Center for AeroSpace Information." To register, please request a registration form through the NASA STI Help Desk at the numbers or addresses below.

Handling fee per item is \$1.50 domestic delivery to any location in the United States and \$9.00 foreign delivery to Canada, Mexico, and other foreign locations. Video orders incur an additional \$2.00 handling fee per title.

The fee for shipping the safest and fastest way via Federal Express is in addition to the regular handling fee explained above—\$5.00 domestic per item, \$27.00 foreign for the first 1-3 items, \$9.00 for each additional item.

Return Policy

The NASA Center for AeroSpace Information will replace or make full refund on items you have requested if we have made an error in your order, if the item is defective, or if it was received in damaged condition, and you contact CASI within 30 days of your original request.

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

E-mail: help@sti.nasa.gov
Fax: (301) 621-0134
Phone: (301) 621-0390

Federal Depository Library Program

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the Federal Regional Depository Libraries, arranged alphabetically by state, appears at the very end of this section. These libraries are not sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

Public Collection of NASA Documents

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in the STI Database. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents FIZ–Fachinformation Karlsruhe–Bibliographic Service, D-76344 Eggenstein-Leopoldshafen, Germany and TIB–Technische Informationsbibliothek, P.O. Box 60 80, D-30080 Hannover, Germany.

Submitting Documents

All users of this abstract service are urged to forward reports to be considered for announcement in the STI Database. This will aid NASA in its efforts to provide the fullest possible coverage of all scientific and technical publications that might support aeronautics and space research and development. If you have prepared relevant reports (other than those you will transmit to NASA, DOD, or DOE through the usual contract- or grant-reporting channels), please send them for consideration to:

ATTN: Acquisitions Specialist
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320.

Reprints of journal articles, book chapters, and conference papers are also welcome.

You may specify a particular source to be included in a report announcement if you wish; otherwise the report will be placed on a public sale at the NASA Center for AeroSpace Information. Copyrighted publications will be announced but not distributed or sold.

Federal Regional Depository Libraries

ALABAMA

AUBURN UNIV. AT MONTGOMERY LIBRARY

Documents Dept.
7300 University Dr.
Montgomery, AL 36117-3596
(205) 244-3650 Fax: (205) 244-0678

UNIV. OF ALABAMA

Amelia Gayle Gorgas Library
Govt. Documents
P.O. Box 870266
Tuscaloosa, AL 35487-0266
(205) 348-6046 Fax: (205) 348-0760

ARIZONA

DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS

Research Division
Third Floor, State Capitol
1700 West Washington
Phoenix, AZ 85007
(602) 542-3701 Fax: (602) 542-4400

ARKANSAS

ARKANSAS STATE LIBRARY

State Library Service Section
Documents Service Section
One Capitol Mall
Little Rock, AR 72201-1014
(501) 682-2053 Fax: (501) 682-1529

CALIFORNIA

CALIFORNIA STATE LIBRARY

Govt. Publications Section
P.O. Box 942837 - 914 Capitol Mall
Sacramento, CA 94337-0091
(916) 654-0069 Fax: (916) 654-0241

COLORADO

UNIV. OF COLORADO - BOULDER

Libraries - Govt. Publications
Campus Box 184
Boulder, CO 80309-0184
(303) 492-8834 Fax: (303) 492-1881

DENVER PUBLIC LIBRARY

Govt. Publications Dept. BSG
1357 Broadway
Denver, CO 80203-2165
(303) 640-8846 Fax: (303) 640-8817

CONNECTICUT

CONNECTICUT STATE LIBRARY

231 Capitol Avenue
Hartford, CT 06106
(203) 566-4971 Fax: (203) 566-3322

FLORIDA

UNIV. OF FLORIDA LIBRARIES

Documents Dept.
240 Library West
Gainesville, FL 32611-2048
(904) 392-0366 Fax: (904) 392-7251

GEORGIA

UNIV. OF GEORGIA LIBRARIES

Govt. Documents Dept.
Jackson Street
Athens, GA 30602-1645
(706) 542-8949 Fax: (706) 542-4144

HAWAII

UNIV. OF HAWAII

Hamilton Library
Govt. Documents Collection
2550 The Mall
Honolulu, HI 96822
(808) 948-8230 Fax: (808) 956-5968

IDAHO

UNIV. OF IDAHO LIBRARY

Documents Section
Rayburn Street
Moscow, ID 83844-2353
(208) 885-6344 Fax: (208) 885-6817

ILLINOIS

ILLINOIS STATE LIBRARY

Federal Documents Dept.
300 South Second Street
Springfield, IL 62701-1796
(217) 782-7596 Fax: (217) 782-6437

INDIANA

INDIANA STATE LIBRARY

Serials/Documents Section
140 North Senate Avenue
Indianapolis, IN 46204-2296
(317) 232-3679 Fax: (317) 232-3728

IOWA

UNIV. OF IOWA LIBRARIES

Govt. Publications
Washington & Madison Streets
Iowa City, IA 52242-1166
(319) 335-5926 Fax: (319) 335-5900

KANSAS

UNIV. OF KANSAS

Govt. Documents & Maps Library
6001 Malott Hall
Lawrence, KS 66045-2800
(913) 864-4660 Fax: (913) 864-3855

KENTUCKY

UNIV. OF KENTUCKY

King Library South
Govt. Publications/Maps Dept.
Patterson Drive
Lexington, KY 40506-0039
(606) 257-3139 Fax: (606) 257-3139

LOUISIANA

LOUISIANA STATE UNIV.

Middleton Library
Govt. Documents Dept.
Baton Rouge, LA 70803-3312
(504) 388-2570 Fax: (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library
Govt. Documents Dept.
Ruston, LA 71272-0046
(318) 257-4962 Fax: (318) 257-2447

MAINE

UNIV. OF MAINE

Raymond H. Fogler Library
Govt. Documents Dept.
Orono, ME 04469-5729
(207) 581-1673 Fax: (207) 581-1653

MARYLAND

UNIV. OF MARYLAND - COLLEGE PARK

McKeldin Library
Govt. Documents/Maps Unit
College Park, MD 20742
(301) 405-9165 Fax: (301) 314-9416

MASSACHUSETTS

BOSTON PUBLIC LIBRARY

Govt. Documents
666 Boylston Street
Boston, MA 02117-0286
(617) 536-5400, ext. 226
Fax: (617) 536-7758

MICHIGAN

DETROIT PUBLIC LIBRARY

5201 Woodward Avenue
Detroit, MI 48202-4093
(313) 833-1025 Fax: (313) 833-0156

LIBRARY OF MICHIGAN

Govt. Documents Unit
P.O. Box 30007
717 West Allegan Street
Lansing, MI 48909
(517) 373-1300 Fax: (517) 373-3381

MINNESOTA

UNIV. OF MINNESOTA

Govt. Publications
409 Wilson Library
309 19th Avenue South
Minneapolis, MN 55455
(612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI

UNIV. OF MISSISSIPPI

J.D. Williams Library
106 Old Gym Bldg.
University, MS 38677
(601) 232-5857 Fax: (601) 232-7465

MISSOURI

UNIV. OF MISSOURI - COLUMBIA

106B Ellis Library
Govt. Documents Sect.
Columbia, MO 65201-5149
(314) 882-6733 Fax: (314) 882-8044

MONTANA

UNIV. OF MONTANA

Mansfield Library
Documents Division
Missoula, MT 59812-1195
(406) 243-6700 Fax: (406) 243-2060

NEBRASKA

UNIV. OF NEBRASKA - LINCOLN

D.L. Love Memorial Library
Lincoln, NE 68588-0410
(402) 472-2562 Fax: (402) 472-5131

NEVADA

THE UNIV. OF NEVADA LIBRARIES

Business and Govt. Information Center
Reno, NV 89557-0044
(702) 784-6579 Fax: (702) 784-1751

NEW JERSEY

NEWARK PUBLIC LIBRARY

Science Div. - Public Access
P.O. Box 630
Five Washington Street
Newark, NJ 07101-7812
(201) 733-7782 Fax: (201) 733-5648

NEW MEXICO

UNIV. OF NEW MEXICO

General Library
Govt. Information Dept.
Albuquerque, NM 87131-1466
(505) 277-5441 Fax: (505) 277-6019

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue
Santa Fe, NM 87503
(505) 827-3824 Fax: (505) 827-3888

NEW YORK

NEW YORK STATE LIBRARY

Cultural Education Center
Documents/Gift & Exchange Section
Empire State Plaza
Albany, NY 12230-0001
(518) 474-5355 Fax: (518) 474-5786

NORTH CAROLINA

UNIV. OF NORTH CAROLINA - CHAPEL HILL

Walter Royal Davis Library
CB 3912, Reference Dept.
Chapel Hill, NC 27514-8890
(919) 962-1151 Fax: (919) 962-4451

NORTH DAKOTA

NORTH DAKOTA STATE UNIV. LIB.

Documents
P.O. Box 5599
Fargo, ND 58105-5599
(701) 237-8886 Fax: (701) 237-7138

UNIV. OF NORTH DAKOTA

Chester Fritz Library
University Station
P.O. Box 9000 - Centennial and University Avenue
Grand Forks, ND 58202-9000
(701) 777-4632 Fax: (701) 777-3319

OHIO

STATE LIBRARY OF OHIO

Documents Dept.
65 South Front Street
Columbus, OH 43215-4163
(614) 644-7051 Fax: (614) 752-9178

OKLAHOMA

OKLAHOMA DEPT. OF LIBRARIES

U.S. Govt. Information Division
200 Northeast 18th Street
Oklahoma City, OK 73105-3298
(405) 521-2502, ext. 253
Fax: (405) 525-7804

OKLAHOMA STATE UNIV.

Edmon Low Library
Stillwater, OK 74078-0375
(405) 744-6546 Fax: (405) 744-5183

OREGON

PORTLAND STATE UNIV.

Branford P. Millar Library
934 Southwest Harrison
Portland, OR 97207-1151
(503) 725-4123 Fax: (503) 725-4524

PENNSYLVANIA

STATE LIBRARY OF PENN.

Govt. Publications Section
116 Walnut & Commonwealth Ave.
Harrisburg, PA 17105-1601
(717) 787-3752 Fax: (717) 783-2070

SOUTH CAROLINA

CLEMSON UNIV.

Robert Muldrow Cooper Library
Public Documents Unit
P.O. Box 343001
Clemson, SC 29634-3001
(803) 656-5174 Fax: (803) 656-3025

UNIV. OF SOUTH CAROLINA

Thomas Cooper Library
Green and Sumter Streets
Columbia, SC 29208
(803) 777-4841 Fax: (803) 777-9503

TENNESSEE

UNIV. OF MEMPHIS LIBRARIES

Govt. Publications Dept.
Memphis, TN 38152-0001
(901) 678-2206 Fax: (901) 678-2511

TEXAS

TEXAS STATE LIBRARY

United States Documents
P.O. Box 12927 - 1201 Brazos
Austin, TX 78701-0001
(512) 463-5455 Fax: (512) 463-5436

TEXAS TECH. UNIV. LIBRARIES

Documents Dept.
Lubbock, TX 79409-0002
(806) 742-2282 Fax: (806) 742-1920

UTAH

UTAH STATE UNIV.

Merrill Library Documents Dept.
Logan, UT 84322-3000
(801) 797-2678 Fax: (801) 797-2677

VIRGINIA

UNIV. OF VIRGINIA

Alderman Library
Govt. Documents
University Ave. & McCormick Rd.
Charlottesville, VA 22903-2498
(804) 824-3133 Fax: (804) 924-4337

WASHINGTON

WASHINGTON STATE LIBRARY

Govt. Publications
P.O. Box 42478
16th and Water Streets
Olympia, WA 98504-2478
(206) 753-4027 Fax: (206) 586-7575

WEST VIRGINIA

WEST VIRGINIA UNIV. LIBRARY

Govt. Documents Section
P.O. Box 6069 - 1549 University Ave.
Morgantown, WV 26506-6069
(304) 293-3051 Fax: (304) 293-6638

WISCONSIN

ST. HIST. SOC. OF WISCONSIN LIBRARY

Govt. Publication Section
816 State Street
Madison, WI 53706
(608) 264-6525 Fax: (608) 264-6520

MILWAUKEE PUBLIC LIBRARY

Documents Division
814 West Wisconsin Avenue
Milwaukee, WI 53233
(414) 286-3073 Fax: (414) 286-8074

Typical Report Citation and Abstract

- ❶ **19970001126** NASA Langley Research Center, Hampton, VA USA
- ❷ **Water Tunnel Flow Visualization Study Through Poststall of 12 Novel Planform Shapes**
- ❸ Gatlin, Gregory M., NASA Langley Research Center, USA Neuhart, Dan H., Lockheed Engineering and Sciences Co., USA;
- ❹ Mar. 1996; 130p; In English
- ❺ Contract(s)/Grant(s): RTOP 505-68-70-04
- ❻ Report No(s): NASA-TM-4663; NAS 1.15:4663; L-17418; No Copyright; Avail: CASI; A07, Hardcopy; A02, Microfiche
- ❼ To determine the flow field characteristics of 12 planform geometries, a flow visualization investigation was conducted in the Langley 16- by 24-Inch Water Tunnel. Concepts studied included flat plate representations of diamond wings, twin bodies, double wings, cutout wing configurations, and serrated forebodies. The off-surface flow patterns were identified by injecting colored dyes from the model surface into the free-stream flow. These dyes generally were injected so that the localized vortical flow patterns were visualized. Photographs were obtained for angles of attack ranging from 10° to 50°, and all investigations were conducted at a test section speed of 0.25 ft per sec. Results from the investigation indicate that the formation of strong vortices on highly swept forebodies can improve poststall lift characteristics; however, the asymmetric bursting of these vortices could produce substantial control problems. A wing cutout was found to significantly alter the position of the forebody vortex on the wing by shifting the vortex inboard. Serrated forebodies were found to effectively generate multiple vortices over the configuration. Vortices from 65° swept forebody serrations tended to roll together, while vortices from 40° swept serrations were more effective in generating additional lift caused by their more independent nature.
- ❽ Author
- ❾ *Water Tunnel Tests; Flow Visualization; Flow Distribution; Free Flow; Planforms; Wing Profiles; Aerodynamic Configurations*

Key

1. Document ID Number; Corporate Source
2. Title
3. Author(s) and Affiliation(s)
4. Publication Date
5. Contract/Grant Number(s)
6. Report Number(s); Availability and Price Codes
7. Abstract
8. Abstract Author
9. Subject Terms

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 480)

DECEMBER 14, 1998

51

LIFE SCIENCES (GENERAL)

19980232218 Massachusetts Inst. of Tech., Cambridge, MA USA

Acoustic Classification of Zooplankton

Traykovski, Linda V.; Feb. 1998; 189p; In English; Prepared in cooperation with MIT/WHOI Joint Program in Oceanography/ Applied Ocean Science and Engineering. Other funding numbers: N00014-92-J-1527, OCE-9201264.

Contract(s)/Grant(s): N00014-89-J-1729; N00014-95-1-0287

Report No.(s): AD-A351049; MIT/WHOI-98-04; No Copyright; Avail: CASI; A09, Hardcopy; A02, Microfiche

This thesis describes the development of both feature based and model based classification techniques to invert broadband acoustic echoes from individual zooplankton for scatterer type, as well as for particular parameters such as animal orientation. The feature based Empirical Orthogonal Function Classifier (EOFC) discriminates scatterer types by identifying characteristic modes of variability in the echo spectra, exploiting only the inherent characteristic structure of the acoustic signatures. The model based Model Parameterisation Classifier (MPC) classifies based on correlation of observed echo spectra with simplified parameterisations of theoretical scattering models for the three classes. The Covariance Mean Variance Classifiers (CMVC) are a set of advanced model based techniques which assign observations to a class based on similarities in covariance, mean, and variance, while accounting for model ambiguity and validity. These feature based and model based inversion techniques were successfully applied to several thousand echoes acquired from broadband (approx. 350 kHz - 750 kHz) insonifications of live zooplankton to determine scatterer class and to invert for angle of orientation using generic and animal-specific theoretical and empirical models. Application of these inversion techniques in situ will allow correct apportionment of backscattered energy to animal biomass, significantly improving estimates of zooplankton biomass based on acoustic surveys.

DTIC

Procedures; Technology Assessment; Acoustic Properties; Echoes; Zooplankton

19980232927 NASA Ames Research Center, Moffett Field, CA USA

Human Physiological Responses to Cycle Ergometer Leg Exercise During +Gz Acceleration

Chou, J. L., San Francisco State Univ., USA; Stad, N. J., San Francisco State Univ., USA; Barnes, P. R., San Francisco State Univ., USA; Leftheriotis, G. P. N., California State Univ., USA; Arndt, N. F., NASA Ames Research Center, USA; Simonson, S., NASA Ames Research Center, USA; Greenleaf, J. E., NASA Ames Research Center, USA; Aug. 1998; 30p; In English

Contract(s)/Grant(s): RTOP 199-20-12

Report No.(s): NASA/TM-1998-112237; A-9811420; NAS 1.15:112237; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Spaceflight and bed-rest deconditioning decrease maximal oxygen uptake (aerobic power), strength, endurance capacity, and orthostatic tolerance. In addition to extensive use of muscular exercise conditioning as a countermeasure for the reduction in aerobic power (VO_{2max}), stimuli from some form of +Gz acceleration conditioning may be necessary to attenuate the orthostatic intolerance component of this deconditioning. Hypothesis: There will be no significant difference in the physiological responses (oxygen uptake, heart rate, ventilation, or respiratory exchange ratio) during supine exercise with moderate +Gz acceleration.

Author

Respiratory Physiology; Physiological Responses; Physical Exercise; Orthostatic Tolerance; Gas Exchange; Ergometers; Bed Rest

19980233235 Dynamac Corp., Cocoa Beach, FL USA

Protocol Development for the NASA-JSC Lunar-Mars Life Support Test Project (LMLSTP) Phase 3 Project: A Report on Baseline Studies at KSC for Continuous Salad Production

Goins, G. D., Dynamac Corp., USA; Yorio, N. C., Dynamac Corp., USA; Vivencio, H. R., Dynamac Corp., USA; Jul. 1998; 42p; In English

Contract(s)/Grant(s): NAS10-12180

Report No.(s): NASA/TM-1998-207911; NAS 1.15:207911; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The Phase 3 Lunar-Mars Life Support Test Project (LMLSTP) was conducted in a 20-foot chamber at Johnson Space Center. The overall objective of the Phase 3 project was to conduct a 90-day regenerative life support system test involving 4 human subjects to demonstrate an integrated biological and physicochemical life support system. A secondary objective of the Phase 3 LMLSTP was to demonstrate the ability to produce salad-type vegetable by integration of a small benchtop growth chamber located within the crew habitat area. This small chamber, commercially manufactured as the Controlled Environment Research Ecosystem (CERES 2010(TM)), functioned as a means to continuously provide fresh lettuce crops for crew members. The CERES 2010(TM) growth chamber utilized hardware components developed for effective plant biomass production in space-flight applications. These components included: (1) LED lighting; (2) Astroculture(TM) Root Trays; and (3) Zeoponic media. In planning for the LMLSTP Phase 3, a request was put forward for KSC scientists to generate a protocol for successful continuous planting, culturing, and harvesting of the salad-crop, lettuce. by conducting baseline tests with components of the CERES 2010(TM), a protocol was developed.

Author

Vegetables; Agriculture; Ecosystems; Planting; Vegetation Growth; Closed Ecological Systems; Light Emitting Diodes

19980236900 NASA Marshall Space Flight Center, Huntsville, AL USA

An Overview of NASA Biotechnology

Pusey, Marc L., NASA Marshall Space Flight Center, USA; 1997; 1p; In English; Science and Technology Advisory Council Meeting, 10 Nov. 1997, Huntsville, Alabama, USA; No Copyright; Avail: Issuing Activity; Abstract Only, Hardcopy, Microfiche

Biotechnology research at NASA has comprised three separate areas; cell science and tissue culture, separations methods, and macromolecular crystal growth. This presentation will primarily focus on the macromolecular crystal growth.

Author

Biotechnology; Crystal Growth; Cells (Biology)

52

AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

19980232903 Bechtel Hanford, Inc., Richland, WA USA

1997 N-Basin Administrative Control Level Dose Extension

Nellesen, A. L., Bechtel Hanford, Inc., USA; Apr. 1997; 17p; In English

Contract(s)/Grant(s): DE-AC06-93RL-12367

Report No.(s): BHI-01006; DE97-053221; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

This document provides justification for extending the Administrative Control Level of 500 mrem per year to 1,000 mrem per year Total Effective Dose Equivalent for workers involved with N-Reactor Basin Deactivation in accordance with established procedures.

DOE

Dosage; Reactors; Structural Basins

19980235636 NASA Kennedy Space Center, Cocoa Beach, FL USA

Achieving Quality in Occupational Health Final Report

O'Donnell, Michele, Editor, Bionetics Corp., USA; Hoffler, G. Wyckliffe, Editor, Bionetics Corp., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997; 221p; In English; NASA Occupational Health Conference, 4-7 Aug. 1997, Cleveland, OH, USA; Sponsored by NASA Lewis Research Center, USA; Also announced as 19980235637 through 19980235672

Contract(s)/Grant(s): NAS10-12180; RTOP 004-Y3; S-NASA10-001

Report No.(s): NASA/CP-97-206321; NAS 1.55:206321; No Copyright; Avail: CASI; A10, Hardcopy; A03, Microfiche

The conference convened approximately 100 registered participants of invited guest speakers, NASA presenters, and a broad spectrum of the Occupational Health disciplines representing NASA Headquarters and all NASA Field Centers. Centered on the theme, "Achieving Quality in Occupational Health," conferees heard presentations from award winning occupational health program professionals within the Agency and from private industry; updates on ISO 9000 status, quality assurance, and information technologies; workshops on ergonomics and respiratory protection; an overview from the newly commissioned NASA Occupational Health Assessment Team; and a keynote speech on improving women's health. In addition, NASA occupational health specialists presented 24 poster sessions and oral deliveries on various aspects of current practice at their field centers.

Author

Conferences; Occupation; Health; Human Factors Engineering; Quality Control; Medical Services

19980235637 Hummer Associates, Whole Health Management, Cleveland, OH USA

Striving for Quality at a NASA Occupational Health Clinic: The Experiences of a 1996 George M. Low Award Recipient

Weirich, Stephen A., Hummer Associates, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 4-14; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A03, Hardcopy; A03, Microfiche

An overview of the Occupational Health Clinic at NASA LeRC is presented. Specific topics include: 1) Hummer Associates philosophy statement; 2) The Disney keys to success. What does this have to do with quality health care?; 3) Utilization of the medical services clinic at NASA LeRC; 4) NASA LeRC civil servant population; 5) Civil servant office visits per civil servant head count; 6) Work related vs. non-work related visits; 7) Unique aspects of LeRC clinic; 8) Fitness center used as an adjunct to medical treatment; 9) Health insurance plans; 10) Insurance billing and the how-to's; 11) Low Award criteria; 12) Low Award lessons learned; and 13) Hummer Associates goals.

CASI

Occupation; Health; Medical Services; Clinical Medicine

19980235638 Michigan Univ., School of Public Health, Ann Arbor, MI USA

A New Career for Industrial Hygienists and Safety Engineers at NASA or, What's All the Fuss About ISO-Harmonized Management Systems

Levine, Steven, Michigan Univ., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 15-26; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A03, Hardcopy; A03, Microfiche

Two questions regarding the Industrial Hygiene and safety professionals at NASA are considered: 1) Who is actually doing OHSMS and what are their experiences?; and 2) How will this approach affect the profession and practice of industrial hygiene?. Also, the following topics are presented in slide presentation form: 1) Why discuss international E&OHS standards?; 2) What is meant by ISO-harmonized standards? 3) The AIHA OHS management system - The Liberty International Auditor; and 4) The Michigan "Universal" System.

Derived from text

Occupation; Health; Management Systems; Industrial Safety

19980235639 Joint Commission on Accreditation of Healthcare Organizations, Seattle, WA USA

Still More in the "Alphabet Soup" of Quality

Roling, Gerald, Joint Commission on Accreditation of Healthcare Organizations, USA; Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 27-37; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A03, Hardcopy; A03, Microfiche

The title of the presentation speaks to my frustrations over the past 37 years of practicing medicine in many settings, in many locations, under many different leaders going in many directions as we attempted to follow the various acronyms depicting the various stages in the Quality movement. QA, QI, TQM, etc. etc. -what are the "in" code letters or names this year or next! I hope in my paper to attempt to pull these historical and functional terms together and demonstrate practical examples that I have seen of quality programs as I do accreditation surveys throughout all types of healthcare settings.

Derived from text

Quality Control; Total Quality Management; Medical Services

19980235640 Lockheed Martin Energy Systems, Inc., Oak Ridge, TN USA

Quality Cost-Effective Occupational Health Programs: A Winning Example

Jones, O. W., Lockheed Martin Energy Systems, Inc., USA; Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 38-43; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

The following topics are considered in detail relating to Lockheed Martin's health care program and ACOEM standards: (1) Employee health evaluation and screening program; (2) Process and procedures to diagnose and treat injury or illness occurring on the job and assist employees' return to work; (3) Drug and alcohol policy, drug screening, insurance coverage for treatment and rehabilitation, and employee assistance programs; (4) Programs in place to provide treatment for emergency conditions not work related, including emotional crisis; (5) Immunizations against infectious disease for at-risk populations, protection against blood-borne pathogens and provision of travel advice; and (6) Programs to provide collaborative care to employees under the care of a personal health care provider so as to reduce the amount of time away from the job for treatment.

CASI

Occupation; Public Health; Medical Services; Standards; Clinical Medicine

19980235641 Lilly (Eli) and Co., Lilly Corporate Center, Indianapolis, IN USA

Leveraging Employer Assets for Improved Health Services

Larkin, Gregory, Lilly (Eli) and Co., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 44-50; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

The paper focuses on the following topics and goals: (1) Recognize customer's perspective of services and align scope accordingly; (2) Partner with management to leverage all aspects of EHS which include: expertise (occupational & preventive medical specialists), location (on-site, minimal barriers for care), volume (existing, accessible "customer" market), and community presence (strength in numbers and status); (3) Target interventions which: significantly impact the "bottom line"- health costs & productivity, have demonstrated effect, and best utilize company assets.

Derived from text

Public Health; Clinical Medicine; Medical Services

19980235642 NASA Lewis Research Center, Cleveland, OH USA

Engineering Aspects in Blood Pump Development

Golding, Leonard, Cleveland Clinic Foundation, USA; Veres, Joseph P., NASA Lewis Research Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 51-55; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

NASA turbomachinery computer codes assisted in the design of the Cleveland Clinic Foundation's centrifugal bladed blood pump. The codes were originally developed for the aerospace industry, but are applicable to the blood pump because of a high degree of synergy with this application. Traditional turbomachinery design criteria were used in the design of the blood pump centrifugal impeller and volute casing. The fluid dynamic performance of the blood pump is meeting the engineering design goals of flow rate and pressure rise.

Derived from text

Blood Pumps; Centrifugal Pumps; Pump Impellers; Bioengineering

19980235643 Air Force School of Aerospace Medicine, Brooks AFB, TX USA

Using Information Technologies to Drive Quality in Occupational Health

Gordon, Scott R., Air Force School of Aerospace Medicine, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 56-66; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A03, Hardcopy; A03, Microfiche

Information technologies are revolutionizing the way business is conducted around the world in almost every occupation. As we rapidly approach the millennium, this evolution of information technologies, and our greatly improved ability to handle, store, and analyze information, lends itself to major quality improvements in almost every facet of what we do in Occupational Health. The following topics are considered: (1) Evolution of information technologies; (2) Advantages of information technologies; (3) Measures of quality in occupational health; and (4) Air Force approach to quality.

Derived from text

Information Management; Quality Control; Public Health; Medical Services

19980235644 Department of Health and Human Services, US Public Health Service's Office on Women's Health, Washington, DC USA

A New Prescription to Improve Women's Health

Mark, Saralyn, Department of Health and Human Services, USA; Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 68-72; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

In my remarks, I will discuss the long history of inequities that women have faced in their health care as well as the new forces and trends which are finally changing this tragic situation. I will also focus on how advances in imaging and telemedicine and the innovative partnerships with the intelligence, defense, space and medical communities are serving as critical elements in our new prescription to improve women's health.

Derived from text

Females; Public Health; Medical Services; Technology Utilization

19980235645 National Inst. for Occupational Safety and Health, Health Hazard Evaluation (HHE) Program, Cincinnati, OH USA

Ergonomics

Hales, Thomas, National Inst. for Occupational Safety and Health, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 74-76; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

Ergonomics is from the Greek words *ergos*, meaning "work" and *nomos*, meaning "laws"- therefore, the laws of work. It was coined in the 19th century by a Polish scientist Wojciech Jastrzebowski for the study of work. More recently it has been defined as "fitting the job to the worker" thereby accommodating the various sizes and shapes of individuals. In a broader context, ergonomics is the art of matching work demands with worker capabilities. When a mismatch between work demands and workers' capabilities occurs, psychosocial stress (low job satisfaction, low productivity), and/or musculoskeletal disorders can result. Human factors specialists traditionally focus on these psychosocial stress issues, while the ergonomists traditionally focus on the engineering/physical factors and their effect on the musculoskeletal system. Musculoskeletal disorders (MSD) are conditions of the soft tissues and their surrounding structures not resulting from an acute or instantaneous event (e.g., slips or falls). In the epidemiologic literature, MSD can be grouped as: Clinically well-defined disorders (such as tendinitis, carpal tunnel syndrome); Less clinically well-defined disorders (such as tension neck syndrome); Non-specific disorders (such as repetitive strain injury (RSI), overuse syndrome, and cervicobrachial disorders). This confusion over terminology and case definitions has had a dramatic impact on the recognition, reporting, surveillance, and individual diagnoses of these disorders. Risk factors relating to MSD and details of the ergonomics program are included.

Derived from text

Human Factors Engineering; Musculoskeletal System; Medical Services; Management Systems; Public Health

19980235646 Minnesota Mining and Mfg. Co., Occupational Health and Environmental Safety Div., Saint Paul, MN USA

Respiratory Protection

Colton, Craig E., Minnesota Mining and Mfg. Co., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 77-97; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A03, Hardcopy; A03, Microfiche

OSHA has been working to revise rule 29 CFR 1910.134 for some time. This presentation reports on the proposal as published in the Federal Register. There are expectations that change has been made to the proposed rule. Asterisks identify those areas I believe to be changed either because of what OSHA has published in recent rules and letters or word on the "street".

Derived from text

Respirators; Safety Devices; Breathing Apparatus; Policies; Regulations

19980235647 Bionetics Corp., Cocoa Beach, FL USA

An Overview of the NASA Occupational Health Assessment Team Report

Ferguson, Emmett B., Bionetics Corp., USA; Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 99-105; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

This assessment was undertaken to achieve the following objectives: (1) Document the status of the Occupational Health Program (OHP) at the NASA Field Centers; (2) Determine the Field Center OHP needs and expectations of the Agency OHP function; (3) Identify "Best Practices" which should be considered for Agency-wide use; (4) Identify individuals among the NASA Civil Service and Contractor work force who, because of special training, experience and accomplishments, may represent resources for expert consultation for the Agency-wide OHP; (5) Review the metrics collected at the Field Center OHPs, and the realistic needs for quality evaluation of the OHP at both the Field Center and Agency level; and (6) Provide recommendations and rationale

for the incoming Agency OHP Manager regarding Program direction and implementation. We believe it essential that our report present not only an objective appraisal of the existing Field Center Occupational Health Program, but define what we believe a comprehensive OHP should provide. This must be stated in a manner that will get attention at the highest level reviewing the report. We believe that the purpose of the OHP can be very simply stated. The purpose is to maintain a healthy, productive workforce and prevent workplace illnesses and injuries.

Derived from text

Occupation; Public Health; NASA Programs; Assessments; Clinical Medicine; Accident Prevention

19980235648 NASA, Washington, DC USA

Health Risk Appraisal Use at Headquarters

Borcherding, Donald, NASA, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 108-111; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

Specific topics which relate to the NASA Health Risk Appraisal (HRA) include: (1) What is a HRA?; (2) Risk factors; (3) Program use at NASA Headquarters; (4) An alternative approach; (5) Group HRA reports; and (6) Future considerations and conclusion.

CASI

Occupation; Health; Risk; Assessments; NASA Programs; Medical Services

19980235649 Science Applications International Corp., Moffett Field, CA USA

Industrial Hygiene Evaluation of Airborne Microbial Contamination

Phillips, Stanleigh W., Science Applications International Corp., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 112-122; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A03, Hardcopy; A03, Microfiche

An Anderson N6 sampler was used to obtain samples to evaluate airborne levels of bacteria and fungi in response to an employee concern that the flooding of basement offices produced potentially hazardous conditions. Guidelines (AIHA, ACGIH) for interpretation of the air sample results were applied. Published literature documenting indoor/outdoor ratios of fungi were reviewed. Published guidelines for remediation of building structures contaminated with *Stachybotrys atra* were modified to address the site-specific conditions. Recommendations for industrial hygienists who may be involved in the assessment of microbial contamination of buildings are provided.

Derived from text

Buildings; Contamination; Industrial Safety; Air Sampling; Fungi; Bacteria

19980235650 Kelsey Seybold, Moffett Field, CA USA

An Occupational Tuberculosis Surveillance Program

Brown, Barbara, Kelsey Seybold, USA; Meyers, John, Kelsey Seybold, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 123-124; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

After a decades-long decrease from 1953 through 1984 in the number of tuberculosis (TB) cases reported annually in the USA, TB has reemerged as a serious national problem. From 1985 through 1993, the number of new TB cases increased by 14% - from 22,201 to 25,313. During this period, approximately 64,000 more cases were reported than would have been predicted from the trend of decline from 1980 through 1984. The major factors contributing to this recent increase are: 1) the association of TB with the HIV epidemic; 2) immigration from countries where TB is common; 3) the transmission of TB in congregate settings (e.g., health care facilities, correctional facilities, homeless shelters); and 4) a deterioration of the health care infrastructure.

Author

Occupation; Public Health; Tuberculosis; Surveillance

19980235651 NASA Dryden Flight Research Center, Edwards, CA USA

Dryden Flight Research Center Chemical Pharmacy Program

Davis, Bette, NASA Dryden Flight Research Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 125; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche; Abstract Only; Abstract Only

The Dryden Flight Research Center (DFRC) Chemical Pharmacy "Crib" is a chemical sharing system which loans chemicals to users, rather than issuing them or having each individual organization or group purchasing the chemicals. This cooperative sys-

tem of sharing chemicals eliminates multiple ownership of the same chemicals and also eliminates stockpiles. Chemical management duties are eliminated for each of the participating organizations. The chemical storage issues, hazards and responsibilities are eliminated. The system also ensures safe storage of chemicals and proper disposal practices. The purpose of this program is to reduce the total releases and transfers of toxic chemicals. The initial cost of the program to DFRC was \$585,000. A savings of \$69,000 per year has been estimated for the Center. This savings includes the reduced costs in purchasing, disposal and chemical inventory/storage responsibilities. DFRC has chemicals stored in 47 buildings and at 289 locations. When the program is fully implemented throughout the Center, there will be three chemical locations at this facility. The benefits of this program are the elimination of chemical management duties; elimination of the hazard associated with chemical storage; elimination of stockpiles; assurance of safe storage; assurance of proper disposal practices; assurance of a safer workplace; and more accurate emissions reports.

Author

Chemicals; Cost Reduction; Government/Industry Relations; Hazardous Materials

19980235652 NASA Dryden Flight Research Center, Edwards, CA USA

Effective Documentation Tools

Sleboda, Claire, NASA Dryden Flight Research Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 126-128; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

Quality assurance programs provide a very effective means to monitor and evaluate medical care. Quality assurance involves: (1) Identify a problem; (2) Determine the source and nature of the problem; (3) Develop policies and methods to effect improvement; (4) Implement those policies; (5) Monitor the methods applied; and (6) Evaluate their effectiveness. Because this definition of quality assurance so closely resembles the Nursing Process, the health unit staff was able to use their knowledge of the nursing process to develop many forms which improve the quality of patient care. These forms include the NASA DFRC Service Report, the occupational injury form (Incident Report), the patient survey (Pre-hospital Evaluation/Care Report), the Laboratory Log Sheet, the 911 Run Sheet, and the Patient Assessment Stamp. Examples and steps which are followed to generate these reports are described.

Derived from text

Documentation; Case Histories; Public Health; Clinical Medicine

19980235653 NASA Goddard Space Flight Center, Greenbelt, MD USA

Development of a Pamphlet Targeting Computer Workstation Ergonomics

Faraci, Jennifer S., NASA Goddard Space Flight Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 129-131; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

With the increased use of computers throughout Goddard Space Flight Center, the Industrial Hygiene Office (IHO) has observed a growing trend in the number of health complaints attributed to poor computer workstation setup. A majority of the complaints has centered around musculoskeletal symptoms, including numbness, pain, and tingling in the upper extremities, shoulders, and neck. Eye strain and headaches have also been reported. In some cases, these symptoms can lead to chronic conditions such as repetitive strain injuries (RSI's). In an effort to prevent or minimize the frequency of these symptoms among the GSFC population, the IHO conducts individual ergonomic workstation evaluations and ergonomics training classes upon request. Because of the extensive number of computer workstations at GSFC, and the limited amount of manpower which the Industrial Hygiene staff could reasonably allocate to conduct workstation evaluations and employee training, a pamphlet was developed with a two-fold purpose: (1) to educate the GSFC population about the importance of ergonomically-correct computer workstation setup and the potential effects of a poorly configured workstation; and (2) to enable employees to perform a general assessment of their own workstations and make any necessary modifications for proper setup.

Author

Human Factors Engineering; Workstations; Public Health; Personnel; Documentation

19980235654 Meridian Occupational Healthcare Associates, Greenbelt, MD USA

The Employee Assistance Program Collaborates on the Development of an Internal Web Page for the GSFC Workforce

Humphrey, Marian T., Meridian Occupational Healthcare Associates, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 132-133; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

The Employee Assistance Program (EAP) continuously seeks more effective methods of promoting the wellness message of the Occupational Health Program. This year the opportunity presented itself to assist in the development of an internal Web page which could be accessed by GSFC employees from their desktop stations. The contributors to this effort were the Career Counselor, the EAP Counselor, and the GSFC Workforce Project Coordinator. The goal was to create a central location from which employees could obtain relevant information related to the changing needs of the Goddard mission. Another aspect of this effort was an attempt to integrate as much information as possible on the issues related to change and its impact on the workforce in a central location. The method selected was the use of hyperlinks to other Federal and private Web pages. The EAP of course, focused on materials relevant to mental health, balancing work and family, and stress management.

Author

Personnel; Occupation; Health; World Wide Web; Information Transfer

19980235655 National Health Services, Inc., Greenbelt, MD USA

Interim Measures for Neutron Radiation Dosimetry

Simmons, Theodore D., II, National Health Services, Inc., USA; Blanchard, Tad M., National Health Services, Inc., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 134-136; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

The Near-Earth Asteroid Rendezvous (NEAR) spacecraft will be the first to orbit an asteroid and perform detailed analysis of its composition. Launched in February 1996 NEAR will rendezvous with the asteroid "433 Eros" in January 1999 followed by a one year data-taking operation. A very important on-board remote sensing instrument for determining elemental abundance is the Gamma Ray Spectrometer. This instrument will detect gamma rays produced by natural radioactivity as well as those produced by neutron inelastic collision and neutron capture. to facilitate experiments that simulate part of the expected neutron/gamma ray process at Eros, Goddard purchased a 370 Megabequerel (10 millicurie) Californium-252 neutron emitter. Gamma ray spectral data will be used to calibrate the Gamma Ray Spectrometer as well as confirm instrument performance. to accurately document personnel radiation exposures, a laboratory entry log was developed for the scientists to record the dates, times and associated individual exposures. The GSFC Health Physics Office instructed project scientists to use the "Integration" mode on the E-600 in order to accumulate "real-time" exposure data. Although not calibrated for this type of exposure, project scientists were still required to wear their regular TLD badges. While results reported by the TLDs were "high" (approximately 10 times too high), the Radiation Protection Officer will make the appropriate corrections to the individual TLD exposure data to reflect the actual dosage received by the scientists. This interim dosimetry measure is just one example of how personnel safety can be maintained without significantly impacting mission critical work of the GSFC scientific community. The Radiation Protection Program at Goddard continuously strives to improve the support given to GSFC science and engineering projects by providing timely solutions that enhance personnel safety in the workplace.

Derived from text

Threshold Detectors (Dosimeters); Radiation Dosage; Radiation Measurement; Neutron Counters; Industrial Safety

19980235656 NASA Johnson Space Center, Houston, TX USA

Emergency Operations Center at Johnson Space Center

Caylor, Gary C., NASA Johnson Space Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 137; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche; Abstract Only; Abstract Only

In June 1966, at the start of the Gulf Coast hurricane season, the Johnson Space Center (JSC) celebrated the opening of its new 4,000-square foot, state-of-the-art Emergency Operations Center (EOC). The new EOC has been upgraded and enhanced to support a wide spectrum of emergencies affecting JSC and neighboring communities. One of the main features of the EOC is its premier computerized dispatch center. The new system unites many of JSC's critical emergency functions into one integrated network. It automatically monitors fire alarms, security entrances, and external cameras. It contains the JSC inventory of hazardous materials, by building and room, and can call up Material Safety Data Sheets for most of the generic hazardous materials used on-site. The EOC is available for community use during area emergencies such as hurricanes and is a welcome addition to the Clear Lake/Galveston Bay Area communities' emergency response resources.

Author

Emergencies; Warning Systems; Monitors; Safety

19980235657 Kelsey Seybold, Houston, TX USA

Ergonomics Program at Johnson Space Center

Goldberg, Sheilla, Kelsey Seybold, USA; Licatino, Jody, Kelsey Seybold, USA; Proceeding from the 1997 NASA Occupational

Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 138-142; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

In recent years, there has been a dramatic increase in the occurrence of work-related illnesses arising from repeated biomechanical stress due to ergonomics hazards. These disorders are known under a variety of names: cumulative trauma disorders (CTDs), work-related musculoskeletal disorders (WMDs), repetitive motion injuries (RMIs), and repetitive stress disorders (RSDs), to name a few. JSC has sought to address these problems aggressively by developing an ergonomics program designed to minimize or eliminate ergonomics risk factors. This program utilizes medical diagnoses and treatment of CTDs, evaluation of personal workstations to determine ergonomics risk factors, identification of design principles that prevent employees' exposure to ergonomics risk factors, education and training, increased availability of ergonomics accessories, and assistance to supervisors and facility managers in obtaining needed equipment.

Author

Human Factors Engineering; Musculoskeletal System; Injuries; Personnel; Workstations

19980235658 Kelsey Seybold, Houston, TX USA

Longitudinal Assessment of 10-Year Weight Change in a Large Federal Workforce

Wier, Larry T., Kelsey Seybold, USA; Jackson, Andrew S., Houston Univ., USA; Ayers, Greta W., Kelsey Seybold, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 143-149; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

Cross-sectional (CS) national surveys showed the average American is approximately 7.9 lb heavier than 10 yrs ago. The purpose of this study was to compare 10-yr CS changes in weight in a large federal workforce and to assess the longitudinal (LG) influence of weight gain on medical exam variables (MEV): blood pressure (SBP,DBP), total blood cholesterol (TC), HDL-cholesterol (HDL-C), TC/HDL-C ratio, LDL-cholesterol (LDL-C), glucose, and triglycerides. CS comparisons were made on 2543 employees (80% men) medically examined in 1982-83 and 3640 employees (69% men) examined in 1992-93. LG subjects were 1229 employees (83% men) examined first in the 1982-83 year (T1) and again 10 yrs later (T2). ANOVA of CS showed no age difference between the 10-yr groups but the mean body weight in 92-93 was significantly ($P<0.001$) higher by 5.5 ± 4.2 lb in men and 8.4 ± 4.2 lb in women, and there were significant differences in DBP, glucose, triglycerides, and TC/HDL-C. ANOVA of LG showed a significant ($P<0.001$) gain in weight (men 8.6 ± 14.5 lb, women 15.6 ± 19.8 lb), and changes in MEV except glucose. Simple regression showed weight change was linearly related ($P<0.01$) to all LG MEV. Multiple regression showed that at least 50% of the variance in T2 TC, HDL-C, and TC/HDL-C could be explained by T1 values and independent changes in weight. Analyses of exercise data on 171 LG subjects who were enrolled in the JSC Health-Related Fitness Program during the 10 yr period showed they gained less weight than non-participants and their weight change was related to the level of program participation and the average amount of physical activity over time. Results demonstrated weight change should be considered when assessing changes in MEV. (<0.001) higher by $5.5\pm$.

Author

Public Health; Personnel; Body Weight; Age Factor; Human Beings

19980235659 University of South Florida, Coll. of Medicine, Tampa, FL USA

Enhancing an Occupational Medicine Residency Program with a Practicum at an Operational Space Center

Francois, Rony, University of South Florida, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 150-152; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

The University of South Florida (USF) College of Public Health was established by the Florida Legislature in 1984 to train public health professionals. As one of only 28 public health colleges in the nation, it offers a variety of programs, including Health Policy and Management, Environmental and Occupational Health, Epidemiology and Biostatistics, and Community and Family Health. In addition, the National Institute for Occupational Safety & Health (NIOSH) recently announced the creation of an Educational Resource Center (ERC) at USF. This ERC is the first one funded in 20 years, with an allocation of \$1.6 million over the next five years. The Department of Internal Medicine offers a two-year residency program in Occupational Medicine, in conjunction with the Department of Environmental & Occupational Health. The residency program, chaired by Stuart M. Brooks, M.D., is accredited by the Accreditation Council for Graduate Medical Education. Its mission is to prepare physicians for careers in Occupational Medicine. These career opportunities include the practice of Occupational Medicine in an industrial setting, with emphasis on medical surveillance, acute patient care, and the prevention of occupational health disorders; the administration and management of occupational health programs; the development and management of governmental programs which may be

required by law; and teaching and research in an academic setting. The report presents brief program descriptions of the academic program, practicum rotations, Kennedy Space Center's involvement, occupational medicine and environmental health.

Author

Occupation; Health; NASA Programs; University Program; Clinical Medicine

19980235660 Edgerton, Germeshausen and Grier, Inc., Cocoa Beach, FL USA

Kennedy Space Center Health Education and Wellness Program: Evaluation of Cardiovascular Screening Retest for High Risk Employees

Roth, Carol A., Edgerton, Germeshausen and Grier, Inc., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 153-155; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

The Kennedy Space Center (KSC) Health Education and Wellness Program, initiated in 1984, is open to all employees at KSC and Cape Canaveral Air Station (CCAS) at no charge. The goal of the program is to make employees more aware of their health and to screen for early detection of health problems. This is achieved through training classes, work site lectures, health screenings, informational health packets, individual counseling, pamphlets and videotapes. Every month a different health program is featured on a wide variety of topics. Prevention is the focus of the program. It is based on four principles: 1) Educate employees about their bodies and healthy lifestyles; 2) Help employees identify present problems and risk factors for potential problems; 3) Assist employees in the reduction or elimination of risk factors; and 4) Support employees in maintaining their healthy lifestyle through monitoring and evaluation. These concepts are detailed in the report.

Derived from text

NASA Programs; Health; Education; Personnel; Cardiovascular System

19980235662 NASA Kennedy Space Center, Cocoa Beach, FL USA

NASA Worldwide Emergency Medical Assistance

Martin, George A., NASA Kennedy Space Center, USA; Tipton, David A., NASA Kennedy Space Center, USA; Long, Irene D., NASA Kennedy Space Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 161-165; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

In an effort to maintain employee health and welfare, ensure customer satisfaction, and to deliver high quality emergency medical care when necessary to employees located overseas, NASA has instituted a new contract with International SOS Assistance INC. International SOS Assistance INC. will provide civil servants and contractors engaged in official NASA business with many services upon request during a medical or personal emergency. Through the years, International SOS Assistance INC. has developed the expertise necessary to provide medical service in all remote areas of the world. One phone call connects you to the SOS network of multilingual staff trained to help resolve travel, medical, legal, and security problems. The SOS network of critical care and aeromedical specialists operates 24 hours a day, 365 days a year from SOS Alarm Centers around the world. This exhibit illustrates the details of the NASA-International SOS Assistance INC. agreement.

Author

Medical Services; Emergencies; Contract Negotiation

19980235663 Hummer Associates, Occupational Medicine Services and Fitness Center, Cleveland, OH USA

Assessing the Wellness of NASA LeRC Employees: The First Step Toward the Development of a Pragmatic Wellness Program

Krejci, Lisa E., Hummer Associates, USA; Weirich, Stephen A., Hummer Associates, USA; Miller, Ellen C., Hummer Associates, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 166-168; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

By living a healthful lifestyle, much can be done to prevent serious illness and premature death. Recently the US Taskforce on Disease Prevention and Health Promotion delivered a report to the health care providers of the nation. They stated that "the most effective interventions available to clinicians for reducing incidence of disease and disability in the USA are those that address the personal health practices of patients". The result of the task force was the development of Healthy People 2000 (HP 2000): National Health Promotion and Disease Prevention objectives (US Department of Health and Human Services, Public Health Service 1991). The three main goals of HP 2000 are to: 1) Increase the span of healthy life for Americans; 2) Reduce health disparities among Americans; and 3) Achieve access to preventive services for all Americans. There are 22 priority areas with measurable targets within the objectives. These objectives make up the basis for providing health risk appraisals in agencies and health care settings throughout the USA. Hummer Associates conducted a Health Risk Appraisal at NASA Lewis Research Center

LERC to assess health risks in comparison to HP 2000 guidelines and to determine educational opportunities for program enhancement.

Author

Prevention; Public Health; Sickesses; Medical Services; Patients

19980235669 Hummer Associates, Fitness Center, Cleveland, OH USA

Slimathon Incentive Weight Loss Program

Large, Wendy D., Hummer Associates, USA; Hofstetter, David H., Hummer Associates, USA; Krejci, Lisa E., Hummer Associates, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 182-185; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

The Slimathon Contest was established in 1990 with two objectives; to educate the participants about the importance of body composition, not just body weight, and to increase fitness center utilization. This incentive program was open to all NASA employees, on-site contractors and retirees. The Fitness Center sponsored the incentive program and the Fitness staff measured the weight and percentage of body fat, scheduled appointments and sent statistics to all participants. The duration of the contest was 14 weeks. The contest emphasized lifestyle modification. The Slimathon incentive program successfully accomplished its intended purpose. Body fat was lost by the majority of the subjects. Lifestyle modifications were brought about through education. The contest instilled ongoing fitness participation. During the Slimathon contest the fitness center's utilization increased as well as its total membership. In addition, class participation was at an all time high.

Derived from text

Body Weight; Personnel; Weight Reduction; Health

19980236137 Naval Health Research Center, San Diego, CA USA

An Evaluation of the Clinical Effectiveness of Telemedicine Medical Providers' Perspective Interim Report

Larson, G. E.; Burr, R. G.; Pearsall, D. M.; Silva, J.; May 1998; 16p; In English

Report No.(s): AD-A351912; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Despite the growing use of telemedicine technology in civilian and military health care, relatively little work has been performed in the area of evaluation. To address this deficiency, a preliminary set of telemedicine evaluation instruments (primarily surveys) was developed and pilot tested. Surveys for health care providers were administered aboard three Navy carrier groups and one remote shore station. A separate questionnaire, designed for the medical specialist consultants who were contacted via telecommunications, was administered at the consultant sites. Results suggest that providers view telemedicine as a highly effective tool, and that telemedicine consultations have their greatest impact on treatment (as opposed to diagnosis). The usefulness of "basic" telemedicine technologies, such as telephone and e-mail was strongly supported.

DTIC

Health; Telemedicine; Evaluation; Effectiveness; Armed Forces

19980236413 China Nuclear Information Centre, Beijing, China

Fluorescence microscopic and microautoradiographic studies on apoptosis of bone tumor cells induced by Sm-EDTMP-153

Zhu Shoupeng, Suzhou Medical Coll., China; Xiao Dong, Suzhou Medical Coll., China; Han Xiaofeng, Suzhou Medical Coll., China; Sep. 1997; 11p; In English

Report No.(s): CNIC-01189; SMC-0138.; DE98-604606; No Copyright; Avail: Issuing Activity (Nat'l Technical Information Service (NTIS)), Microfiche

The apoptosis of bone tumor cells treated with internal irradiation by Sm-EDTMP-153 was studied. The morphological changes in bone tumor cells were observed by fluorescence microscopic and microautoradiographic observations. It was found that bone tumor cells internally irradiated with Sm-EDTMP-153, displayed significant nuclear fragmentation and marked pyknosis as well as apoptotic bodies formation. The microautoradiographic study showed that Sm-EDTMP-153 could permeate through cell membrane and displayed membrane-seeking condensation in tumor cells. Soon afterwards Sm-EDTMP-153 could be phagocytized by the tumor cells and distributed in cytoplasm and nucleus in the form of phagosome. With the prolongation of observing time, the membrane-bounded apoptotic bodies was observed. With the lengthening of internal irradiation time by Sm-EDTMP-153, the inhibition rate of proliferation of bone tumor cells increased progressively.

DOE

Fluorescence; Bones; Tumors; Cells (Biology); Samarium; Microscopes

19980236414 International Atomic Energy Agency, Vienna, Austria

Radiation protection *Proteccion Radiologica*

Ures Pantazi, M., Universidad de la Republica, Uruguay; 1994; 24p; In Spanish; Regional Training Course on the Practice of the Hospital Radiopharmacy, 13 Jun. - 1 Jul. 1994, Montevideo, Uruguay

Report No.(s): INIS-UY-005; CONF-9406419; DE98-604902; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

This work define procedures and controls about ionizing radiations. Between some definitions it found the following topics: radiation dose, risk, biological effects, international radioprotection bodies, workers exposure, accidental exposure, emergencies and radiation protection.

DOE

Radiation Protection; Radiation Effects; Ionizing Radiation

19980236419 Brown Univ., Dept. of Pathology, Providence, RI USA

Tissue-Engineered Skeletal Muscle Organoids for Reversible Gene Therapy

Vandenburgh, Herman, Brown Univ., USA; DelTatto, Michael, Brown Univ., USA; Shansky, Janet, Brown Univ., USA; Lemaire, Julie, Brown Univ., USA; Chang, Albert, Brown Univ., USA; Payumo, Francis, Brown Univ., USA; Lee, Peter, Brown Univ., USA; Goodyear, Amy, Brown Univ., USA; Raven, Latasha, Brown Univ., USA; Human Gene Therapy; Nov. 10, 1996; Volume 7, pp. 2195-2200; In English

Contract(s)/Grant(s): NAG2-914; NAGw-4674

Report No.(s): NASA/CR-1996-207803; NAS 1.26:207803; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

Genetically modified murine skeletal myoblasts were tissue engineered in vitro into organ-like structures (organoids) containing only postmitotic myofibers secreting pharmacological levels of recombinant human growth hormone (rhGH). Subcutaneous organoid Implantation under tension led to the rapid and stable appearance of physiological sera levels of rhGH for up to 12 weeks, whereas surgical removal led to its rapid disappearance. Reversible delivery of bioactive compounds from postmitotic cells in tissue engineered organs has several advantages over other forms of muscle gene therapy.

Author

Musculoskeletal System; Pituitary Hormones; Muscles; Cells (Biology); Genes; Therapy

19980236457 Oesterreichisches Forschungszentrum Seibersdorf G.m.b.H., Seibersdorf, Austria

10 years after Chernobyl, radiation exposure, health effects, safety aspects *10 Jahre nach Tschernobyl, Strahlenbelastung, Gesundheitseffekte, Sicherheitsaspekte*

Mueck, K., Oesterreichisches Forschungszentrum Seibersdorf G.m.b.H., Austria; Nov. 1996; ISSN 0253-5270; 49p; In German Report No.(s): OEFZS-4785; DE98-604903; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

This report sums up the various conferences and symposia which were prompted by the tenth anniversary of the accident in the nuclear power plant of Chernobyl. It was shown that by the accident up to now 31 casualties among the emergency and rescue personal at the site. Offsite no increased number of casualties caused by the accident was observed up to now. In the countries with the highest impact Ukraine, Belarus and Russia, however, an increased number of infant thyroid cancer is observed which is substantially higher than after the nuclear detonations over Japanese cities. Contrary to often published media reports, however, up to now no increases in leukemia or other malignant deceases were observed, neither in the population of the concerned regions nor among the liquidators. The high (exp 137)Cs activity concentration in the environment close to the power plant result in exclusion zone even today. The deposition values in Kiev, however, amount to only 30 kBq/m(exp 2), in large areas of Ukraine they are below the average values in Austria of 22 kBq/m(exp 2). For these areas as well as those outside the former Soviet Union the average doses were less than 1 mSv in the first year, a value which is less than one third of natural annual radiation exposure. Since the reactor accident the activity concentration has significantly decreased resulting in an exposure as consequence of the reactor accident of less than 0,8% of the exposure in the first year. In Austria the exposure in 1996 amounts to less than 0,3% of natural radiation exposure.

DOE

Radiation Dosage; Exposure; Health; Safety; Radiation Protection

19980236458 Atomic Energy Control Board, Group of Medical Advisers, Ottawa, Ontario Canada

Guidelines on the use of stable iodine as a prophylactic measure during nuclear emergencies *Lignes directrices sur l'utilisation de l'iode stable comme mesure prophylactique en cas d'urgence nucleaire*

Jan. 1996; 39p; In French

Report No.(s): INFO-0587F; GCM-9.; DE98-604733; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

Among the fission products that may be released in a power reactor accident the radioiodines are unique in that the dose received by persons exposed by inhalation of radioiodines in the gaseous plume may be substantially reduced. GMA-9 provides guidance on the medical aspects of the use of stable iodine compounds as a prophylactic measure in the event of a nuclear accident. A review of the physiologic basis for the use of stable iodine as a prophylactic measure and the effects of radiation on the thyroid gland are provided. Logistic factors that must be considered to provide the optimum level of radiological protection and medical safety are also addressed. Due to the delay in publishing the French version of this report, some sections of this report have been updated to reflect current practices.

DOE

Stability; Iodine; Iodine Compounds; Emergencies; Radiation Protection; Radiation Effects

19980236463 International Society for Optical Engineering, Bellingham, WA USA

Proceedings of Laser-Tissue Interaction 9, Volume 3254

Jan. 1998; 526p; In English; 9th; Laser-Tissue Interaction, 26-28 Jan. 1998, San Jose, CA, USA

Report No.(s): AD-A352043; No Copyright; Avail: CASI; A23, Hardcopy; A04, Microfiche

The papers appearing in this book comprise the proceedings of the Laser Tissue Interaction IX.

DTIC

Lasers; Electromagnetic Interactions; Solid State Devices

19980236464 International Society for Optical Engineering, Bellingham, WA USA

Proceedings of Applications of Ultrashort-Pulse Lasers in Medicine and Biology, Volume 3255

Jan. 1998; 130p; In English; Applications of Ultrashort-Pulse Lasers in Medicine and Biology, 29-30 Jan. 1998, San Jose, CA, USA

Report No.(s): AD-A352044; No Copyright; Avail: CASI; A07, Hardcopy; A02, Microfiche

The papers appearing in this book comprise the proceedings of the Applications of the Ultrashort-Pulse Lasers in Medicine and Biology.

DTIC

Pulsed Lasers; Laser Applications; Optical Relay Systems

19980236563 Atomic Energy Control Board, Group of Medical Advisers, Ottawa, Ontario Canada

Guidelines on the medical management of tritiated water overexposures *Lignes directrices pour la prise en charge medicale des personnes surexposees a l'eau tritiee*

Apr. 1996; 29p; In French

Report No.(s): INFO-0586F; GCM-7.; DE98-604732; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

The Medical Advisers to the Atomic Energy Control Board provide advice to occupational and family physicians treating overexposed workers. GMA-7 provides information and guidance to medical practitioners on the medical management of individuals who have been overexposed to tritiated water. Various treatment principles are presented with special emphasis on techniques for facilitating removal of tritiated water from the body so as to reduce the total radiation dose. Risks and biological effects from exposures to tritiated water and various radiation protection precautions are also discussed.

DOE

Water Management; Water; Radiation Protection; Physicians; Exposure; Tritium

19980236587 Lehigh Univ., Dept. of Electrical Engineering and Computer Science, Bethlehem, PA USA

Regional registration of texture images with application to mammogram followup

Brzakovic, D., Lehigh Univ., USA; Vujovic, N., Lehigh Univ., USA; Image Registration Workshop Proceedings; Nov. 1997, pp. 167-174; In English; Also announced as 19980236569

Contract(s)/Grant(s): NSF IRI-95-04363; DAMD17-96-1-6128; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

The work is motivated by the problem of mammogram screening based on comparisons between mammograms of the same patient acquired in different screenings. Misregistration between temporally spaced screenings arises from minor differences in 3-D positioning and compression, as well as, normal changes in tissue that are functions of time. Since the relationship between images cannot be modeled with available information, precise registration and pixel-to-pixel comparison is an intractable problem. Instead, this work proposes defining corresponding regions in two images and carrying out comparisons between them, simi-

lar to what is done by medical experts. The locations of the regions are determined based on the locations of identifiable landmark points, and regions' extents are determined by characteristics of the older mammogram.

Author

Pattern Registration; Image Processing; Textures; Mammary Glands; Radiography

19980236591 Carnegie-Mellon Univ., Pittsburgh, PA USA

Anomaly detection through registration

Chen, Mei, Carnegie-Mellon Univ., USA; Kanade, Takeo, Carnegie-Mellon Univ., USA; Pomerleau, Dean, Carnegie-Mellon Univ., USA; Rowley, Henry A., Carnegie-Mellon Univ., USA; Image Registration Workshop Proceedings; Nov. 1997, pp. 201-210; In English; Also announced as 19980236569; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

We study an application of image registration in the medical domain. Based on a 3-D hierarchical deformable registration algorithm, we developed a prototype for automatic registration of a standard atlas to a patient's data to create a customized atlas. The registration algorithm can also be applied to detect asymmetry in the patient data to help indicate the existence and location of any pathology. We have conducted experiments on 11 MRI scans of normal brains, 3 MRI and 1 CT scan of brains with pathologies.

Author

Algorithms; Anomalies; Pattern Registration; Image Processing; Matching

19980236592 Pennsylvania Univ. Medical Center, Dept. of Neurology, Philadelphia, PA USA

On matching brain volumes

Gee, James C., Pennsylvania Univ. Medical Center, USA; Image Registration Workshop Proceedings; Nov. 1997, pp. 211-220; In English; Also announced as 19980236569

Contract(s)/Grant(s): USPHS-RO-1-NS-33662; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

To characterize the complex morphological variations that occur naturally in human neuroanatomy so that their confounding effect can be minimized in the identification of brain structures in medical images, a computational framework has evolved in which individual anatomies are modeled as warped versions of a canonical representation of the anatomy, known as an atlas. To realize this framework, the method of elastic matching was invented for determining the spatial mapping between a 3-D image pair in which one image volume is modeled as an elastic continuum that is deformed to match the appearance of the second volume. In this paper, we review the primary concepts underlying the elastic matching, consider the implications of an integral formulation of the problem on its solution, and explore a more general Bayesian interpretation of the method in order to address issues that are otherwise difficult or unnatural to resolve within a continuum mechanical setting, including the examination of a solution's reliability or the incorporation of empirical information that may be available about the spatial mappings into an analysis.

Author

Image Processing; Matching; Pattern Registration; Bayes Theorem; Finite Element Method; Brain

19980236601 University Hospital, Lab. of Functional and Multidimensional Imaging, Geneva, Switzerland

Assessment of neurological function through the multidimensional integration of invasive and non-invasive modalities or sensors

Bidaut, Luc, University Hospital, Switzerland; deTribolet, Nicolas, University Hospital, Switzerland; Landis, Theodor, University Hospital, Switzerland; Scherrer, Jean-Raoul, University Hospital, Switzerland; Terrier, Francois, University Hospital, Switzerland; Image Registration Workshop Proceedings; Nov. 1997, pp. 293-298; In English; Also announced as 19980236569; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

All digital information available at various stages of neurological investigation has been totally integrated through the implementation of IMIPS (Integrated Multidimensional Imaging and Processing System) in a common multisensor space which can be navigated at will. All modern modalities (Computed Tomography, Magnetic Resonance Imaging, Single Photon Emission Computed Tomography, Positron Emission Tomography, functional MRI, and also Electro-Encephalo-Graphy and Electro-Magnetic Tomography) can be combined through our system for the investigation of normal or abnormal brain morphology and function. Although the potential is obviously tremendous for the study of normal brains, we initially targeted the pre-surgical evaluation of drug-resistant epilepsy and the planning or monitoring of subsequent surgery. Compared to the studying of normal function, the complete handling of this pathology drove us to also incorporate in our approach to invasive electro-physiological investigation means (such as depth electrodes and strips or grids) and also slides taken during surgery.

Author

Neurology; Brain; Digital Data; Image Processing; Imaging Techniques

19980236605 Katholieke Univ. te Leuven, Lab. for Medical Imaging Research, Belgium

Clinical relevance of fully automated multimodality image registration by maximization of mutual information

Maes, Frederik, Katholieke Univ. te Leuven, Belgium; Vandermeulen, Dirk, Katholieke Univ. te Leuven, Belgium; Marchal, Guy, Katholieke Univ. te Leuven, Belgium; Suetens, Paul, Katholieke Univ. te Leuven, Belgium; Image Registration Workshop Proceedings; Nov. 1997, pp. 323-330; In English; Also announced as 19980236569; Sponsored in part by IBM Belgium
Contract(s)/Grant(s): NFWO-3.0115.92; NFWO-9.0033.93; NFWO-G.3115.92; No Copyright; Avail: CASI; A02, Hardcopy; A03, Microfiche

We have developed a very general and powerful algorithm for fully automated affine geometric registration of three-dimensional (3D) multimodality images based on maximization of mutual information of the gray-values of corresponding voxels. The robustness and subvoxel accuracy of the method has been validated extensively for matching of CT, MR and PET brain images. In this paper, we illustrate the clinical usefulness of the approach by showing results for various clinical applications, such as matching of CT and PET images of the thorax and of CT and MR images of the prostate. Our results demonstrate that the generality and robustness of the method and the fact that it does not require any pre-processing of the images or user interaction make it a useful tool in routine clinical practice.

Author

Clinical Medicine; Image Processing; Pattern Registration; Algorithms

19980236606 Texas Technological Univ., Dept. of Electrical Engineering, Lubbock, TX USA

A robust generalized registration technique for multi-sensor and warped images

Dickens, Molly, Texas Technological Univ., USA; Neeruganti, Jagadeesh, Texas Technological Univ., USA; Mitra, Sunanda, Texas Technological Univ., USA; O'Hair, Edgar, Texas Technological Univ., USA; Image Registration Workshop Proceedings; Nov. 1997, pp. 331-334; In English; Also announced as 19980236569
Contract(s)/Grant(s): MTC-S7701E; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

Registration of multi-sensor and warped images poses difficult problems when control point pairs are not precisely known. The cepstrum registration technique has been used successfully in combination with polynomial warping for registering and finding the disparity between sequential images. Recently, synthetic aperture radar (SAR) as well as infra-red (IR) images have been registered by cepstrum techniques. The advantage of this robust area-based technique is that it is more tolerant to noise and rotational shift as well as being less computationally intensive than the traditional correlation measure techniques including the sequential search algorithms. We are currently developing a unified and automated registration algorithm for multi-sensor (SAR, IR, and Electro-optic) image registration. A comparative review of the current algorithms for registration of multi-sensor and sequential images corrupted by warping and other artifacts such as embedded noise patterns and random noise is presented.

Author

Image Processing; Pattern Registration; Algorithms; Warpage; Cepstral Analysis

19980236609 Max-Planck-Inst. fuer Neurologische Forschung, Lindenthal, Germany

Alignment of functional and anatomical tomograms based on automated and real-time interactive procedures

Pietrzyk, Uwe, Max-Planck-Inst. fuer Neurologische Forschung, Germany; Thiel, Alexander, Max-Planck-Inst. fuer Neurologische Forschung, Germany; Lucht, Helmut, Max-Planck-Inst. fuer Neurologische Forschung, Germany; Schuster, Alexander, Max-Planck-Inst. fuer Neurologische Forschung, Germany; Image Registration Workshop Proceedings; Nov. 1997, pp. 353-356; In English; Also announced as 19980236569; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

A hybrid technique for medical image registration is presented combining automated and interactive procedures. Subsequent transformation steps were combined into a single transformation during the alignment of several individual PET scans, whose average image was then aligned with respect to a MR image. Thus, only a single reslicing of all PET and MR data is required avoiding multiple interpolations and averaging of the data. Visual control of all steps is guaranteed throughout the entire procedure, which can be performed in less than 10 min. including the final visual control.

Derived from text

Image Processing; Pattern Registration; Visual Control; Real Time Operation; Clinical Medicine; Image Enhancement; Interactive Control; Imaging Techniques

19980236833 Slovak Medical Association, Society of Nuclear Medicine and Radiation Hygiene, Bratislava, Czechoslovakia
19th Radiation Hygiene Days

1995; 208p; In English; 19th; Radiation Hygiene Days (Rhd) Jasna, 20-23 Nov. 1995, Jasna Pod Chopkom, Slovakia
Report No.(s): INIS-SK-97-001; CONF-9511264; DE98-604320; No Copyright; Avail: Issuing Activity (Nat'l Technical Information Service (NTIS)); US Sales Only, Microfiche

The publication has been set up as a proceedings of the conference dealing with health protection during work with ionizing radiation for different activities which involve the handling of ionizing radiation sources. The proceedings consists of a following chapters: (1) Invited presentation; (2) Nuclear accident: management and instrumentation; (3) Low activity in environmental; (4) Radon: sources, doses and effects; (5) Radiation protection in nuclear medicine; (6) Nuclear power plants: radiation safety.

DOE

Conferences; Health; Radiation Protection; Radiation Sources

19980236948 NASA Langley Research Center, Hampton, VA USA

Aerospace Medicine and Biology: A Continuing Bibliography with Indexes, Supplement 478

Nov. 16, 1998; 25p; In English

Report No.(s): NASA/SP-1998-7011/SUPPL478; NAS 1.21:7011/SUPPL478; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This supplemental issue of Aerospace Medicine and Biology, A Continuing Bibliography with Indexes (NASA/SP-1998-7011) lists reports, articles, and other documents recently announced in the NASA STI Database. In its subject coverage, Aerospace Medicine and Biology concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion. Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract.

CASI

Aerospace Medicine; Bibliographies; Bioastronautics; Biological Effects; Exobiology; Indexes (Documentation)

53

BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

19980236499 Naval Postgraduate School, Monterey, CA USA

Determinants of Flight Training Performance: Naval Academy Classes of 1995-1996, 1995-1996

Reinhart, Paul M., Naval Postgraduate School, USA; Aug. 1998; 95p; In English

Report No.(s): AD-A352509; No Copyright; Avail: CASI; A05, Hardcopy; A01, Microfiche

This thesis investigates the relationship between observable characteristics and performance during the primary phase of flight training. The data for this study consists of 272 observations from Naval Academy graduates in the classes of 1995 and 1996. Analysis of the variables was conducted using the Heckman two-stage regression technique to correct for possible selectivity bias. In this technique the first-stage probit model, which predicts the likelihood of primary phase completion, is used to generate a correction factor for possible selectivity bias. The correction factor is then used in the second-stage adjusted least-squares regression model. The conclusions from this study are: The biographical inventory from the Aviation Selection Test Battery (ASTB) is a valid predictor of primary phase completion. The Pilot Flight Aptitude Rating (PFAR) from the ASTB, academic achievement (AQPR) at the Naval Academy, and previous flight experience are valid predictors of flight training performance. Additionally, it appears that sample selection bias does not seem to be a problem in this analysis.

DTIC

Flight Training; Selection; Performance Prediction; Ratings; Universities

54

MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing. For related information see also 16 Space Transportation.

19980232012 NASA Ames Research Center, Moffett Field, CA USA

The Effects of Longitudinal Control-System Dynamics on Pilot Opinion and Response Characteristics as Determined from Flight Tests and from Ground Simulator Studies

Sadoff, Melvin, NASA Ames Research Center, USA; Oct. 1958; 66p; In English

Report No.(s): NASA-MEMO-10-1-58A; No Copyright; Avail: CASI; A04, Hardcopy; A01, Microfiche

The results of a fixed-base simulator study of the effects of variable longitudinal control-system dynamics on pilot opinion are presented and compared with flight-test data. The control-system variables considered in this investigation included stick force per g, time constant, and dead-band, or stabilizer breakout force. In general, the fairly good correlation between flight and simulator results for two pilots demonstrates the validity of fixed-base simulator studies which are designed to complement and supplement flight studies and serve as a guide in control-system preliminary design. However, in the investigation of certain problem areas (e.g., sensitive control-system configurations associated with pilot-induced oscillations in flight), fixed-base simulator results did not predict the occurrence of an instability, although the pilots noted the system was extremely sensitive and unsatisfactory. If it is desired to predict pilot-induced-oscillation tendencies, tests in moving-base simulators may be required. It was found possible to represent the human pilot by a linear pilot analog for the tracking task assumed in the present study. The criterion used to adjust the pilot analog was the root-mean-square tracking error of one of the human pilots on the fixed-base simulator. Matching the tracking error of the pilot analog to that of the human pilot gave an approximation to the variation of human-pilot behavior over a range of control-system dynamics. Results of the pilot-analog study indicated that both for optimized control-system dynamics (for poor airplane dynamics) and for a region of good airplane dynamics, the pilot response characteristics are approximately the same.

Author

Pilot Induced Oscillation; Flight Tests; Human Behavior; Flight Simulators; Dynamic Response

19980232065 Colorado State Univ., Dept. of Environmental Health, Fort Collins, CO USA

Methodology for the Sizing and Design of Protective Helmets Using Three-Dimensional Anthropometric Data

Elliott, Michael G.; Aug. 17, 1998; 238p; In English

Report No.(s): AD-A351452; AFIT-98-023D; No Copyright; Avail: CASI; A11, Hardcopy; A03, Microfiche

This research was an investigation into the development of a methodology for the design and sizing of protective headgear using three-dimensional surface anthropometric data. This introductory chapter has five major parts: background, problem statement, research objective, user needs, and data source. Chapter 2 is a literature review of relevant publications of the design and sizing of protective headgear. Chapter 3 describes the basis for the design and sizing methodology presented in this dissertation. Chapter 4 discusses the computer programs developed for the determination of vectors from a midpoint in the head to the surface points. The computer programs are used in the design and sizing methodology. Chapter 5 describes the results of the statistical analysis performed on these vectors of the head for design and sizing of protective headgear. Chapter 6 provides a summary and the conclusions of this research.

DTIC

Helmets; Anthropometry; Size (Dimensions)

19980232070 Edgewood Research Development and Engineering Center, Aberdeen Proving Ground, MD USA

Performance Evaluation of the Self-Contained Toxic Environment Protective Outfit - Interim (STEPO-I) System Final Report, Mar. - Jun. 1990

Weiss, Robert A.; Gardner, Paul D.; Sherwood, Craig M.; Jul. 1998; 35p; In English; Prepared in cooperation with Chemical Stockpile Emergency Preparedness Program Office. Sales Order No. GOGX.

Contract(s)/Grant(s): Proj. 1S463747D669

Report No.(s): AD-A351792; ERDEC-TR-504; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

A quantitative protection factor (PF) evaluation was conducted on the Interim Self-Contained Toxic Environment Protective Outfit (STEPO-I). The STEPO-I is a protective ensemble consisting of a fully encapsulating suit with two alternative breathing and cooling systems. The suit is made of an impermeable, butyl rubber-coated nylon. The respirators consist of a closed-circuit breathing apparatus and a tethered airline emergency breathing apparatus. The closed-circuit breathing apparatus is worn with a battery-powered ice vest to provide cooling. The tethered air line emergency breathing apparatus vents a portion of the airline pressure to the wearers' extremities for blown-air cooling. Quantitative PF testing was conducted on each of the respirators and on the suit. Protection factor testing of the breathing apparatuses was conducted without the encapsulating suit to ensure a uniform challenge atmosphere. Both respirators performed very well due to their positive pressure. The suit was tested while worn over each of the respirators. The results showed that the vented air in the tethered airline mode provided a high degree of protection inside the suit. However, the closed circuit breathing apparatus does not vent off much air, and it was discovered that a significant flow of the challenge aerosol was entering the suit while in this mode.

DTIC

Performance Tests; Toxicity; Environments; Protection

19980232158 ILC Dover, Frederica, DE USA

NASA Research Announcement for Space Suit Survivability Enhancement Final Report, 17 Sep. 1997 - 30 Sep. 1998

Fredrickson, Thad H., ILC Dover, USA; Ware, Joanne S., ILC Dover, USA; Lin, John K., ILC Dover, USA; Pastore, Christopher M., Philadelphia Coll. of Textiles and Science, USA; Sep. 25, 1998; 81p; In English; Original contains color illustrations; In response to NASA Research Announcement 96-OLMSA-01B

Contract(s)/Grant(s): NASw-97014

Report No.(s): Rept-1275; No Copyright; Avail: CASI; A05, Hardcopy; A01, Microfiche

This report documents the research activities for space suit survivability material enhancements. Self-sealing mechanisms for the pressure envelope were addressed, as were improvements in materials for cut, puncture, and hypervelocity impact resistance.

Author

Space Suits; Impact Resistance; Self Sealing; Fabrics

19980232171 Hokkaido Univ., Faculty of Engineering, Sapporo, Japan

Measurement of User's Action and Analysis in Human Interface Design

Nonaka, Hidetoshi, Hokkaido Univ., Japan; Da-Te, Tsutomu, Hokkaido Univ., Japan; Bulletin of the Faculty of Engineering, Hokkaido University; Jan. 1994; ISSN 0385-602X, No. 167, pp. 97-116; In Japanese; Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

Measurement or detection of user's action is necessary for computer to communicate with user. But it is usually achieved with keyboard and mouse in uniform and inflexible manner, then user is obliged to practice in handling them in order to communicate fluently with computer. In this paper, we present new methods for measuring user's action. They are effective for making variety of communication, which makes human interface friendly. Firstly, ultrasonic position measuring method is introduced, and performance test of the method is discussed. Secondly the principle of video system with motor vision and its construction on an experimental basis are introduced. Thirdly detection method of lifting action is described and inertia mouse is introduced. Finally pointing systems using ultrasonic position measuring are realized. They are verified to be suitable for practical use by performance test.

Author

Detection; Human-Computer Interface

19980235207 Nissan Motor Co. Ltd., Yokosuka, Japan

Analysis of Optimum Seat Figure with Sitting Posture to Realize Seat Comfort

Katsuraki, Michihiro, Nissan Motor Co. Ltd., Japan; Nagashima, Hideyuki, Nissan Motor Co. Ltd., Japan; Nissan Technical Review Transaction; 1992; ISSN 0912-9634, pp. 23-30; In Japanese; Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

This paper presents a combined pelvis-lumbar support which is intended to provide optimum body support from the standpoint of the human skeletal structure and internal stress. This support is an essential element of a car seat that fits the human body perfectly and thereby reduces passenger fatigue on long trips. An investigation was made of optimum sitting postures that would reduce stress on the lumbar region and differences in the optimum posture for various individuals were clarified. The results verified the effectiveness of the proposed pelvis-lumbar support in reducing passenger fatigue.

Author

Comfort; Seats; Posture; Sitting Position

19980235661 Edgerton, Germeshausen and Grier, Inc., Industrial Hygiene Branch, Cocoa Beach, FL USA

Remediation of Indoor Air Quality Concerns: Base Operations Building-Kennedy Space Center

Taffer, Jim, Edgerton, Germeshausen and Grier, Inc., USA; Geyer, Bart, Edgerton, Germeshausen and Grier, Inc., USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 156-160; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

The Base Operations Contractor (BOC) Industrial Hygiene (IH) Office has received employee complaints concerning Indoor Air Quality (IAQ) at the Base Operations Building (BOB) since the late 1980s. Complaints continued to increase and in 1994/1995 several personnel reported to medical clinics with symptoms related to IAQ. The IH Office performed extensive evaluations to determine humidity, temperature, carbon dioxide, ozone, formaldehyde, carbon monoxide, various hydrocarbons, and respirable dust levels. No source of reported symptoms was identified. In 1995 a questionnaire was submitted to personnel to identify personnel complaints and to identify specific problem areas: 62 of the 64 (97%) employees responded with 25 (40%) reporting symptoms and 37 (60%) reporting complaints, mostly related to temperature, humidity, or dust build-up. Due to these findings, a BOC working group (members represented the Medical Office, Industrial Hygiene, HVAC, Energy Management, Structures, and Janitorial

Departments) was formed to investigate this and other problem facilities. The group identified problems within this facility and offered corrective actions as follows: 1) Since HVAC systems on KSC are deactivated when facilities are not occupied, allowing humid air to enter air intakes, louvers were installed on air intakes which close when the system is deactivated. Humidity sensors were installed in the HVAC ducting which automatically activate when humidity levels exceed 60%; 2) to reduce dust deposition on horizontal surfaces in the facility, HEPA filter vacuums were purchased for the facility. Through time these vacuums should reduce respirable size dust, reducing personnel symptoms. One year later, the questionnaire was resubmitted. Only 17 (25%) of 67 personnel responded. Of those, 8 reported symptoms and 14 reported complaints attributed to IAQ. Complaints were mostly concerning temperature. Dust and humidity complaints were greatly reduced from the previous year. It is believed that most of those who did not respond no longer had complaints or symptoms. The number of personnel reporting to Medical with symptoms continues to decrease. Most personnel reporting symptoms or complaints work in one area of the facility. In this area old carpeting will be replaced to reduce contamination and the inner walls inspected for moisture build-up and mold growth.

Author

Indoor Air Pollution; Air Quality; Air Conditioning; Air Intakes; Humidity; Contamination; Dust; Industrial Safety

19980235665 NASA Lewis Research Center, Cleveland, OH USA

A Comparison of Lead Abatement Technologies at Lewis Research Center

Jezirowski, Luz Y., NASA Lewis Research Center, USA; Calla, Joanne, NASA Lewis Research Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 172-174; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

In 1995, Lewis participated in a pilot test of Lead Specifications. The Specifications were sponsored by the Center to Protect Worker's Rights (CPWR). Entitled "Model Specifications for the Protection of Worker's from Lead on Steel Structures", one aspect of this endeavor was to test and compare several lead abatement technologies. The project overview, objectives, team, and requirements as well as abatement methods and materials are outlined.

Author

Personnel; Protection; Lead (Metal); Toxic Hazards; Hazardous Materials

19980235668 Science Applications International Corp., Cleveland, OH USA

Retrofitting Laboratory Fume Hoods With Face Velocity Monitors at NASA Lewis Research Center

Wagner, Ingrid E., Science Applications International Corp., USA; Bold, Margaret D., Bionetics Corp., USA; Diamond, David B., NASA Lewis Research Center, USA; Kall, Phillip M., NASA Lewis Research Center, USA; Proceeding from the 1997 NASA Occupational Health Conference: Achieving Quality in Occupational Health; Dec. 11, 1997, pp. 180-181; In English; Also announced as 19980235636; No Copyright; Avail: CASI; A01, Hardcopy; A03, Microfiche

Extensive use and reliance on laboratory fume hoods exist at LeRC for the control of chemical hazards (nearly 175 fume hoods). Flow-measuring devices are necessary to continually monitor hood performance. The flow-measuring device should be tied into an energy management control system to detect problems at a central location without relying on the users to convey information of a problem. Compatibility concerns and limitations should always be considered when choosing the most effective flow-measuring device for a particular situation. Good practice on initial hood design and placement will provide a system for which a flow-measuring device may be used to its full potential and effectiveness.

Derived from text

Fumes; Air Ducts; Exhaust Systems; Exhaust Gases; Industrial Safety; Monitors

19980236021 Michigan Univ., Transportation Research Inst., Ann Arbor, MI USA

Evaluation of a Driver Interface: Effects of Control Type (Knob Versus Buttons) and Menu Structure (Depth Versus Breadth), Jan. - Nov. 1997

Manes, Daniel, Michigan Univ., USA; Green, Paul, Michigan Univ., USA; Nov. 1997; 98p; In English

Contract(s)/Grant(s): DRDA-97-1142

Report No.(s): PB98-164700; UMTRI-97-42; No Copyright; Avail: CASI; A05, Hardcopy; A02, Microfiche

In an initial experiment, four drivers were verbally cued to find items in a menu system while driving a simulator. Three factors were examined: (1) menu structures (deep with three levels of four item each and, broad with two levels of eight items each), (2) controls (a cursor and a number pad), and (3) control/display locations (both high, both low, and display high/control low). The cursor control led to faster task completion times than the number pad, and a full 32 trials per block offered no benefit over just 16, simplifying the design of the main experiment. The main experiment was similar to the initial study, except 24 drivers participated, a knob control was used instead of the number pad, and 16 rather than 32 trials per block were used. Menu selection times (approximately nine seconds) were not significantly different for the two menu structures or the three control/display locations.

However, the knob was significantly faster than the cursor (six percent), and there were 13 percent more land excursions for the broad menus than the deep. A GOMS analysis showed that downward scrolls required 0.4 seconds each, except for initial selections where thinking and reading processes lengthened times. Correlations between GOMS and actual selection times ranged from 0.5 to 0.8. These data, suggest deep menus should be used to minimize lane excursions (a measure of driver distraction) and knobs should be utilized to minimize selection times. Mounting the display high and the control low is also advised.

Author

Simulators; Display Devices; Manual Control; Safety Devices; Accident Prevention; Vehicles

19980236439 Prairie View Agricultural and Mechanical Coll., Dept. of Electrical Engineering, TX USA

A Fuzzy Expert System for Fault Management of Water Supply Recovery in the ALSS Project *Final Report*

Tohala, Vapsi J., Prairie View Agricultural and Mechanical Coll., USA; Apr. 30, 1998; 46p; In English

Contract(s)/Grant(s): NAG9-777

Report No.(s): NASA/CR-1998-208241; NAS 1.26:208241; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Modeling with a new software is a challenge. CONFIG is a challenge and is design to work with many types of systems in which discrete and continuous processes occur. The CONFIG software was used to model the two subsystem of the Water Recovery system: ICB and TFB. The model worked manually only for water flows with further implementation to be done in the future. Activities in the models are stiff need to be implemented based on testing of the hardware for phase III. More improvements to CONFIG are in progress to make it a more user friendly software.

Derived from text

Fuzzy Systems; Fault Tolerance; Expert Systems; Water Management

19980236495 Army Aeromedical Research Lab., Fort Rucker, AL USA

Designing Optimal Hierarchies for Information Retrieval with Multifunction Displays *Final Report*

Francis, Gregory, Army Aeromedical Research Lab., USA; Jul. 1998; 64p; In English

Contract(s)/Grant(s): Proj-30162787A879

Report No.(s): AD-A352470; USAARL-98-33; No Copyright; Avail: CASI; A04, Hardcopy; A01, Microfiche

Modern aircraft use computer screens with a push button interface to replace a variety of single purpose instruments. Such multifunction displays (MFDs) are gradually being introduced into military helicopters, with future aircraft likely to be highly dependent on computers. Studies have shown that poor design of MFD hierarchies has a significant impact on user satisfaction and performance. The purpose of this study was to extend a theoretical analysis of hierarchy search into a methodology for gathering data and building a hierarchy layout that minimized the time needed to find items in a hierarchy. Pilot studies demonstrate the effectiveness of the methodology and show that optimizing hierarchy layout may lead to a 25% reduction in search times.

DTIC

Human Factors Engineering; Flight Instruments; Airborne/Spaceborne Computers; Military Helicopters

19980236615 NASA Marshall Space Flight Center, Huntsville, AL USA

Development of a System to Assess Biofilm Formation in the International Space Station

Martin Charles, E., ION Systems, USA; Summers, Silvia M., ION Systems, USA; Roman, Monserrate C., NASA Marshall Space Flight Center, USA; 1998; 14p; In English; 28th; Environmental Systems (ICES), 13-16 Jul. 1998, Danvers, MA, USA

Report No.(s): NASA/TM-1998-207790; NAS 1.15:207790; Rept-980000; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The design requirements for the water treatment systems aboard the International Space Station (ISS) include and require recycling as much water as possible and to treat the water for intentional contamination (hygiene, urine distillate, condensate, etc.) and unintentional contamination in the form of biofilm and microorganisms. As part of an effort to address the latter issue, a biofilm system was developed by Marshall Space Flight Center (MSFC) to simulate the conditions aboard ISS with respect to materials, flow rates, water conditions, water content, and handling. The tubing, connectors, sensors, and fabricated parts included in the system were chosen for specific attributes as applicable to emulate an orbital water treatment system. This paper addresses the design and development process of the system, as well as the configuration, operation, and system procedures for maintenance to assure that the simulation is valid for the representative data as it applies to water degradation and biofilm/microbial growth. Preliminary biofilm/microbial results are also presented.

Author

Water Treatment; International Space Station; Recycling; Microorganisms; Hygiene; Distillation; Contamination

19980236704 Edgewood Research Development and Engineering Center, Aberdeen Proving Ground, MD USA
**Tests of Level A Suits, Protection Against Chemical and Biological Warfare Agents and Simulants: Executive Summary
Final Report, Jun. 1997 - Apr. 1998**

Belmonte, Richard B., Edgewood Research Development and Engineering Center, USA; Aug. 1998; 15p; In English
Report No.(s): AD-A352316; ERDEC-TR-512; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Twelve Level A protective suits were tested for GB and HD permeation swatch testing using modified procedures of TOP 8-2-501. Agent break-through times were calculated for each suit. Vapor and aerosol agent simulant tests of suit systems were conducted to measure overall protection factors of the suits.

DTIC

Protective Clothing; Protection; Vapors

19980236906 Georgia Inst. of Tech., Center for Human-Machine Systems Research, Atlanta, GA USA
Human-Centered Design of Human-Computer-Human Dialogs in Aerospace Systems Final Report

Mitchell, Christine M., Georgia Inst. of Tech., USA; Aug. 1998; 7p; In English

Contract(s)/Grant(s): NCC2-824; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

A series of ongoing research programs at Georgia Tech established a need for a simulation support tool for aircraft computer-based aids. This led to the design and development of the Georgia Tech Electronic Flight Instrument Research Tool (GT-EFIRT). GT-EFIRT is a part-task flight simulator specifically designed to study aircraft display design and single pilot interaction. The simulator, using commercially available graphics and UNIX workstations, replicates to a high level of fidelity the Electronic Flight Instrument Systems (EFIS), Flight Management Computer (FMC) and Auto Flight Director System (AFDS) of the Boeing 757/767 aircraft. The simulator can be configured to present information using conventional looking B757n67 displays or next generation Primary Flight Displays (PFD) such as found on the Beech Starship and MD-11.

Derived from text

Simulators; Flight Management Systems; Aircraft Design; Systems Management; Flight Instruments

55 SPACE BIOLOGY

Includes exobiology; planetary biology; and extraterrestrial life.

19980236014 NASA Ames Research Center, Moffett Field, CA USA
Sixth Symposium on Chemical Evolution and the Origin and Evolution of Life

Acevedo, Sara, Editor, NASA Ames Research Center, USA; DeVincenzi, Donald L., Editor, NASA Ames Research Center, USA; Chang, Sherwood, Editor, NASA Ames Research Center, USA; Sep. 1998; 120p; In English, 17-20 Nov. 1997, Moffett Field, CA, USA; Sponsored by NASA, USA

Contract(s)/Grant(s): RTOP 344-38-00

Report No.(s): NASA/CP-1998-10156; A-9812411; NAS 1.55:10156; No Copyright; Avail: CASI; A06, Hardcopy; A02, Microfiche

The 6th Symposium on Chemical Evolution and the Origin and Evolution of Life was convened at NASA Ames Research Center, November 17-20, 1997. This Symposium is convened every three years under the auspices of NASA's Exobiology Program Office. All Principal Investigators funded by this Program present their most recent research accomplishments at the Symposium. Scientific papers were presented in the following areas: cosmic evolution of the biogenic elements, prebiotic evolution (both planetary and chemical), evolution of early organisms and evolution of organisms in extreme environments, solar system exploration, and star and planet formation. The Symposium was attended by over 200 scientists from NASA centers and Universities nationwide.

Author

Chemical Evolution; Biological Evolution; Planetary Evolution; Life Sciences

Subject Term Index

A

ACCIDENT PREVENTION, 6, 20
ACOUSTIC PROPERTIES, 1
AEROSPACE MEDICINE, 16
AGE FACTOR, 9
AGRICULTURE, 2
AIR CONDITIONING, 19
AIR DUCTS, 19
AIR INTAKES, 19
AIR QUALITY, 19
AIR SAMPLING, 6
AIRBORNE/SPACEBORNE
COMPUTERS, 20
AIRCRAFT DESIGN, 21
ALGORITHMS, 14, 15
ANOMALIES, 14
ANTHROPOMETRY, 17
ARMED FORCES, 11
ASSESSMENTS, 6

B

BACTERIA, 6
BAYES THEOREM, 14
BED REST, 1
BIBLIOGRAPHIES, 16
BIOASTRONAUTICS, 16
BIOENGINEERING, 4
BIOLOGICAL EFFECTS, 16
BIOLOGICAL EVOLUTION, 21
BIOTECHNOLOGY, 2
BLOOD PUMPS, 4
BODY WEIGHT, 9, 11
BONES, 11
BRAIN, 14
BREATHING APPARATUS, 5
BUILDINGS, 6

C

CARDIOVASCULAR SYSTEM, 10
CASE HISTORIES, 7
CELLS (BIOLOGY), 2, 11, 12
CENTRIFUGAL PUMPS, 4
CEPSTRAL ANALYSIS, 15
CHEMICAL EVOLUTION, 21
CHEMICALS, 7
CLINICAL MEDICINE, 3, 4, 6, 7, 10, 15
CLOSED ECOLOGICAL SYSTEMS, 2

COMFORT, 18
CONFERENCES, 3, 16
CONTAMINATION, 6, 19, 20
CONTRACT NEGOTIATION, 10
COST REDUCTION, 7
CRYSTAL GROWTH, 2

D

DETECTION, 18
DIGITAL DATA, 14
DISPLAY DEVICES, 20
DISTILLATION, 20
DOCUMENTATION, 7
DOSAGE, 2
DUST, 19
DYNAMIC RESPONSE, 17

E

ECHOES, 1
ECOSYSTEMS, 2
EDUCATION, 10
EFFECTIVENESS, 11
ELECTROMAGNETIC INTER-
ACTIONS, 13
EMERGENCIES, 8, 10, 13
ENVIRONMENTS, 17
ERGOMETERS, 1
EVALUATION, 11
EXHAUST GASES, 19
EXHAUST SYSTEMS, 19
EXO BIOLOGY, 16
EXPERT SYSTEMS, 20
EXPOSURE, 12, 13

F

FABRICS, 18
FAULT TOLERANCE, 20
FEMALES, 5
FINITE ELEMENT METHOD, 14
FLIGHT INSTRUMENTS, 20, 21
FLIGHT MANAGEMENT SYSTEMS,
21
FLIGHT SIMULATORS, 17
FLIGHT TESTS, 17
FLIGHT TRAINING, 16
FLUORESCENCE, 11
FUMES, 19

FUNGI, 6
FUZZY SYSTEMS, 20

G

GAS EXCHANGE, 1
GENES, 12
GOVERNMENT/INDUSTRY RELA-
TIONS, 7

H

HAZARDOUS MATERIALS, 7, 19
HEALTH, 3, 6, 8, 10, 11, 12, 16
HELMETS, 17
HUMAN BEHAVIOR, 17
HUMAN BEINGS, 9
HUMAN FACTORS ENGINEERING, 3,
5, 7, 9, 20
HUMAN-COMPUTER INTERFACE, 18
HUMIDITY, 19
HYGIENE, 20

I

IMAGE ENHANCEMENT, 15
IMAGE PROCESSING, 14, 15
IMAGING TECHNIQUES, 14, 15
IMPACT RESISTANCE, 18
INDEXES (DOCUMENTATION), 16
INDOOR AIR POLLUTION, 19
INDUSTRIAL SAFETY, 3, 6, 8, 19
INFORMATION MANAGEMENT, 4
INFORMATION TRANSFER, 8
INJURIES, 9
INTERACTIVE CONTROL, 15
INTERNATIONAL SPACE STATION,
20
IODINE, 13
IODINE COMPOUNDS, 13
IONIZING RADIATION, 12

L

LASER APPLICATIONS, 13
LASERS, 13
LEAD (METAL), 19
LIFE SCIENCES, 21
LIGHT EMITTING DIODES, 2

M

MAMMARY GLANDS, 14
MANAGEMENT SYSTEMS, 3, 5
MANUAL CONTROL, 20
MATCHING, 14
MEDICAL SERVICES, 3, 4, 5, 6, 10, 11
MICROORGANISMS, 20
MICROSCOPES, 11
MILITARY HELICOPTERS, 20
MONITORS, 8, 19
MUSCLES, 12
MUSCULOSKELETAL SYSTEM, 5, 9, 12

N

NASA PROGRAMS, 6, 10
NEUROLOGY, 14
NEUTRON COUNTERS, 8

O

OCCUPATION, 3, 4, 6, 8, 10
OPTICAL RELAY SYSTEMS, 13
ORTHOSTATIC TOLERANCE, 1

P

PATIENTS, 11
PATTERN REGISTRATION, 14, 15
PERFORMANCE PREDICTION, 16
PERFORMANCE TESTS, 17
PERSONNEL, 7, 8, 9, 10, 11, 19
PHYSICAL EXERCISE, 1
PHYSICIANS, 13
PHYSIOLOGICAL RESPONSES, 1
PILOT INDUCED OSCILLATION, 17
PITUITARY HORMONES, 12
PLANETARY EVOLUTION, 21
PLANTING, 2
POLICIES, 5
POSTURE, 18
PREVENTION, 11
PROCEDURES, 1
PROTECTION, 17, 19, 21
PROTECTIVE CLOTHING, 21
PUBLIC HEALTH, 4, 5, 6, 7, 9, 11
PULSED LASERS, 13
PUMP IMPELLERS, 4

Q

QUALITY CONTROL, 3, 4

R

RADIATION DOSAGE, 8, 12
RADIATION EFFECTS, 12, 13
RADIATION MEASUREMENT, 8
RADIATION PROTECTION, 12, 13, 16
RADIATION SOURCES, 16
RADIOGRAPHY, 14
RATINGS, 16
REACTORS, 2
REAL TIME OPERATION, 15
RECYCLING, 20
REGULATIONS, 5
RESPIRATORS, 5
RESPIRATORY PHYSIOLOGY, 1
RISK, 6

S

SAFETY, 8, 12
SAFETY DEVICES, 5, 20
SAMARIUM, 11
SEATS, 18
SELECTION, 16
SELF SEALING, 18
SICKNESSES, 11
SIMULATORS, 20, 21
SITTING POSITION, 18
SIZE (DIMENSIONS), 17
SOLID STATE DEVICES, 13
SPACE SUITS, 18
STABILITY, 13
STANDARDS, 4
STRUCTURAL BASINS, 2
SURVEILLANCE, 6
SYSTEMS MANAGEMENT, 21

T

TECHNOLOGY ASSESSMENT, 1
TECHNOLOGY UTILIZATION, 5
TELEMEDICINE, 11
TEXTURES, 14
THERAPY, 12
THRESHOLD DETECTORS (DOSIMETERS), 8
TOTAL QUALITY MANAGEMENT, 3
TOXIC HAZARDS, 19
TOXICITY, 17
TRITIUM, 13
TUBERCULOSIS, 6
TUMORS, 11

U

UNIVERSITIES, 16
UNIVERSITY PROGRAM, 10

V

VAPORS, 21
VEGETABLES, 2
VEGETATION GROWTH, 2
VEHICLES, 20
VISUAL CONTROL, 15

W

WARNING SYSTEMS, 8
WARPAGE, 15
WATER, 13
WATER MANAGEMENT, 13, 20
WATER TREATMENT, 20
WEIGHT REDUCTION, 11
WORKSTATIONS, 7, 9
WORLD WIDE WEB, 8

Z

ZOOPLANKTON, 1

Personal Author Index

A

Acevedo, Sara, 21
Arndt, N. F., 1
Ayers, Greta W., 9

B

Barnes, P. R., 1
Belmonte, Richard B., 21
Bidaut, Luc, 14
Blanchard, Tad M., 8
Bold, Margaret D., 19
Borcherding, Donald, 6
Brown, Barbara, 6
Brzakovic, D., 13
Burr, R. G., 11

C

Calla, Joanne, 19
Caylor, Gary C., 8
Chang, Albert, 12
Chang, Sherwood, 21
Chen, Mei, 14
Chou, J. L., 1
Colton, Craig E., 5

D

Da-Te, Tsutomu, 18
Davis, Bette, 6
DeTatto, Michael, 12
deTribolet, Nicolas, 14
DeVincenzi, Donald L., 21
Diamond, David B., 19
Dickens, Molly, 15

E

Elliott, Michael G., 17

F

Faraci, Jennifer S., 7
Ferguson, Emmett B., 5
Francis, Gregory, 20
Francois, Rony, 9
Fredrickson, Thad H., 18

G

Gardner, Paul D., 17
Gee, James C., 14
Geyer, Bart, 18
Goins, G. D., 2
Goldberg, Sheilla, 8
Golding, Leonard, 4
Goodyear, Amy, 12
Gordon, Scott R., 4
Green, Paul, 19
Greenleaf, J. E., 1

H

Hales, Thomas, 5
Han Xiaofeng, 11
Hoffler, G. Wyckliffe, 2
Hofstetter, David H., 11
Humphrey, Marian T., 7

J

Jackson, Andrew S., 9
Jeziorowski, Luz Y., 19
Jones, O. W., 4

K

Kall, Phillip M., 19
Kanade, Takeo, 14
Katsuraki, Michihiro, 18
Krejci, Lisa E., 10, 11

L

Landis, Theodor, 14
Large, Wendy D., 11
Larkin, Gregory, 4
Larson, G. E., 11
Lee, Peter, 12
Leftheriotis, G. P. N., 1
Lemaire, Julie, 12
Levine, Steven, 3
Licatino, Jody, 8
Lin, John K., 18
Long, Irene D., 10
Lucht, Helmut, 15

M

Maes, Frederik, 15
Manes, Daniel, 19
Marchal, Guy, 15
Mark, Saralyn, 5
Martin Charles, E., 20
Martin, George A., 10
Meyers, John, 6
Miller, Ellen C., 10
Mitchell, Christine M., 21
Mitra, Sunanda, 15
Mueck, K., 12

N

Nagashima, Hideyuki, 18
Neeruganti, Jagadeesh, 15
Nellesen, A. L., 2
Nonaka, Hidetoshi, 18

O

O, 2, 15

P

Pastore, Christopher M., 18
Payumo, Francis, 12
Pearsall, D. M., 11
Phillips, Stanleigh W., 6
Pietrzyk, Uwe, 15
Pomerleau, Dean, 14
Pusey, Marc L., 2

R

Raven, Latasha, 12
Reinhart, Paul M., 16
Roling, Gerald, 3
Roman, Monserrate C., 20
Roth, Carol A., 10
Rowley, Henry A., 14

S

Sadoff, Melvin, 16
Scherrer, Jean-Raoul, 14
Schuster, Alexander, 15
Shansky, Janet, 12
Sherwood, Craig M., 17

Silva, J., 11
Simmons, Theodore D., II, 8
Simonson, S., 1
Sleboda, Claire, 7
Stad, N. J., 1
Suetens, Paul, 15
Summers, Silvia M., 20

T

Taffer, Jim, 18
Terrier, Francois, 14
Thiel, Alexander, 15
Tipton, David A., 10
Tohala, Vapsi J., 20
Traykovski, Linda V., 1

U

Ures Pantazi, M., 12

V

Vandenburgh, Herman, 12
Vandermeulen, Dirk, 15
Veres, Joseph P., 4
Vivenzio, H. R., 2
Vujovic, N., 13

W

Wagner, Ingrid E., 19
Ware, Joanne S., 18
Weirich, Stephen A., 3, 10
Weiss, Robert A., 17
Wier, Larry T., 9

X

Xiao Dong, 11

Y

Yorio, N. C., 2

Z

Zhu Shoupeng, 11

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. REPORT TYPE AND DATES COVERED	
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS	
6. AUTHOR(S)				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, DC 20546-0001			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Subject Category: Availability: NASA CASI (301) 621-0390			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)				
14. SUBJECT TERMS			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	